

CIRCUS acoustic panel P1500


ver. 20200404_Rev_0

year: 2015
code: 2733802N0xxxx
type: acoustic device
destination: indoor




Technical drawing
Size ref. image mm - inch

HANGING installation



CEILING installation



Product description

Acoustic panel Ø 1500 mm with removable upholstery in white, beige or black 100% polyester 3D fabric. Other available colours on request.

CIRCUS acoustic panel combinable with *CIRCUS hanging lamp*.

Material

Realized with polyester staple fibre, no toxic and non-polluting. It allows an high and long-lasting resistance to microbiological damages (non-putrescible material) and UV rays.

Composition	polyester staple fibre
Colour	White
Surface weight	2000 g/m ²
Thickness	40 mm
Density	50 Kg/m ³
Working temperature	-40 ÷ +95
Resistance to	diffusion of water vapour
	molds
	parassites
	ozone
	bad weather
	UV

Hanging cables

Stainless steel cables standard length (custon) 2000 mm / 78" 3/4

Warranty

Duration 2 years

The values above should not be considered as absolutes but aimed to lead material's choice in function of the final use.


CIRCUS acoustic panel P1500

ver. 20200404_Rev_0


year: **2015**
code: **2733802N0xxxx**
type: **acoustic device**
destination: **indoor**

Available versions

Standard finish



Finish on request




CIRCUS acoustic panel P1500

ver. 20200404_Rev_0

year: 2015
code: 2733802N0xxxx
type: acoustic device
destination: indoor

HANGING installation

Acoustic class: D
 $\alpha_w = 0,55$
Distance from the ceiling: 1m



CEILING installation

Acoustic class: A
 $\alpha_w = 1$

