

CIRCUS acoustic panel P1000

ver. 20200404_Rev_0

year: **2015**
code: **2733801N0xxxx**
type: **acoustic device**
destination: **indoor**



Product description

Acoustic panel Ø 1000 mm with removable upholstery in white, beige or black 100% polyester 3D fabric. Other available colours on request.

CIRCUS acoustic panel combinable with *CIRCUS hanging lamp*.

Material

Realized with polyester staple fibre, no toxic and non-polluting. It allows an high and long-lasting resistance to microbiological damages (non-putrescible material) and UV rays.


Composition	polyester staple fibre
Colour	White
Surface weight	2000 g/m ²
Thickness	40 mm
Density	50 Kg/m ³
Working temperature	-40 ÷ +95
Resistance to	diffusion of water vapour
	molds
	parassites
	ozone
	bad weather
	UV

The values above should not be considered as absolutes but aimed to lead material's choice in function of the final use.


Technical drawing

Size ref. image mm - inch

HANGING installation



CEILING installation



Hanging cables

Stainless steel cables standard length (custom 2000 mm / 78" 3/4

Warranty

Duration 2 years

CIRCUS acoustic panel P1000

ver. 20200404_Rev_0

year: 2015


code: 2733801N0xxxx

type: acoustic device


destination: indoor

Available versions

Standard finish



Finish on request




CIRCUS acoustic panel P1000

ver. 20200404_Rev_0

year: 2015
code: 2733801N0xxxx
type: acoustic device
destination: indoor

HANGING installation

Acoustic class: D
 $\alpha_w = 0,55$
Distance from the ceiling: 1m



CEILING installation

Acoustic class: A
 $\alpha_w = 1$

