


CORRIDOR[®] 8108 & 8109


STORAGE

INSTRUCTION MANUAL

LET'S GET STARTED.



8108



8109

DESIGN MATTHEW WEATHERLY

BDi

BDIUSA.COM



Congratulations on the purchase of your Corridor cabinet from BDI. Your storage cabinet has been designed to provide a lifetime of enjoyment. This manual will provide assembly instructions and other helpful information to ensure you get the most out of your product. Please save it for future reference.

Your Corridor has been engineered for simple assembly. Please follow these directions carefully to prevent any damage.


Should you need further assistance, contact BDI at customerservice@bdiusa.com.

ENJOY!

HARDWARE AND COMPONENTS

Unpack and identify the parts listed below. The assembly workspace should be a non-marring surface, such as carpet. For missing hardware pieces, please contact BDI Customer Service at customerservice@bdiusa.com. For all other concerns, please contact your BDI retailer.

Do not use power tools for the assembly of this product.




Phillips Screwdriver (T1)

QTY: 1



4mm Hex Key Wrench (T2)

QTY: 1



Drawer Pull (H1)

8108 – QTY: 2

8109 – QTY: 4



Shelf Pin (H2)

8108 – QTY: 4


8109 – QTY: 8



Rubber Bumper (H3)

8108 – QTY: 5


8109 – QTY: 8



Machine Screw (H4)

8108 – QTY: 4


8109 – QTY: 8



8108

Cabinet (C1)

QTY: 1




8109



8108

Glass Top (C2)

QTY: 1



8109




Shelf (C3)

8108 – QTY: 1

8109 – QTY: 2

STEP 1. POSITION AND LEVEL THE CABINET



ASSEMBLY



With the help of another person, carefully move the cabinet into its final position.

	HEX WRENCH – T2	QTY 1
--	-----------------	----------


Place a level (not included) on top of the cabinet and use the supplied **4mm Hex Key Wrench (T2)** to adjust the levelers from within the cabinet. Start with the outer-most levelers until the cabinet is level, then adjust the center front and rear levelers.







ASSEMBLY

STEP 2. INSTALL DOOR PULLS

Attach the **Door Pulls (H1)** using **Screws (H4)** and **Phillips Head Screwdriver (T1)**.



	PHILLIPS SCREWDRIVER – T1	QTY 1
	DOOR PULL– H1	8108: 2 8109: 4
	SCREW – H4	8108: 4 8109: 8




ASSEMBLY

STEP 3. INSTALL GLASS SHELF

Thread the **Adjustable Shelf Pins (H2)** at the desired height. Install the **Glass Shelf (C3)** by tilting the shelf to clear the opening. Carefully rest into position.

	SHELF PIN – H2	8108: 4 8109: 8
---	----------------	--------------------

In some positions it may be necessary to only screw in 2 shelf pins into one side panel, rest one side on the shelf on those shelf pins while supporting the other side of the shelf, then screw in the remaining shelf pins.




STEP 4. REMOVE & RE-INSTALL DRAWERS (OPTIONAL)

ASSEMBLY





Your cabinet comes with the drawers in the **upper position**.

If you wish to change the drawer configuration to the **lower position**, follow these steps:




4A. Drawer Removal



Extend the drawer all the way forward. Identify the gray plastic locking tab at the front of the drawer slide mechanism and pull it as shown in the illustration. Once both gray tabs have been released, gently lift the drawer assembly while pulling it away from the cabinet.



4B. Changing the Drawer Position

Once the drawer box has been removed, identify the drawer slide mechanism attached to the side panel. Use the **4mm Hex Wrench (T2)** to remove three screws shown in the illustration. Install the drawer slide bracket in the lower position by aligning the holes.

	HEX WRENCH – T2	QTY 1
--	-----------------	----------

**4C. Drawer Installation** (follow the instructions in Step 4 Part A in reverse, to reinstall the drawer)

To reinstall the drawer, extend both drawer slides all the way open. Rest the drawer box on the slides and align the holes on the bottom with the metal tab on the drawer slide. Push the gray plastic tab to lock into position.

STEP 5. INSTALL RUBBER BUMPERS & GLASS TOP

ASSEMBLY


Install the **Rubber Bumpers (H3)** by removing the adhesive film and attaching them as shown in the illustration. With the help of another person, place the **Glass Top (C2)** on the bumpers. Adjust the glass panel so the edges are flush with the cabinet.



RUBBER BUMPER – H3


8108: 5

8109: 8




These steps are to be followed after you have unpacked and completed the assembly of your cabinet. Due to jostling in freight or perhaps an uneven floor, the doors on your cabinet may not appear to be in perfect alignment. Making a few minor adjustments can rectify this situation.

The doors on your cabinet should be evenly spaced and the doors should open and close freely without rubbing against the door frame. Your cabinet's hinges are fully adjustable, allowing you to modify the door's position left/right, up/down and in/out. Adjusting one hinge can sometimes cause the need for adjustments to other elements. But with a few adjustments, you can modify the orientation of the cabinet doors to make sure that they hang perfectly within your cabinet.

	PHILLIPS SCREWDRIVER – T1	QTY 1
--	------------------------------	----------



Use a **Phillips Screwdriver (T1)** to adjust the door hinges:

- By adjusting **Screw 1**, the door will move LEFT or RIGHT within the frame. Make minor adjustments at both top and bottom hinges for best results.
- By adjusting **Screw 2**, the door will move UP or DOWN.
- By adjusting **Screw 3** the entire door will move IN or OUT, opening or closing the gap between the door frame and cabinet. (This screw rarely needs adjustment.)




Tightening **Screw 1** on top hinge will open the seam between Door C & Door D here

Loosening **Screw 1** on this hinge will close the seam between Door C & Door D here



The door hinges can be adjusted using the **Phillips Head Screwdriver (T1)**. If the drawer assembly is blocking access to a door hinge, open the drawer so that the slot opening exposes the hinge from inside the drawer.



Your BDI furniture has been constructed with the finest materials, carefully manufactured, and designed to last a lifetime. Regular furniture care will prolong your enjoyment and keep it looking its best. Here are some general tips for taking care of BDI furniture. Your surfaces may vary.

GLASS

Glass surfaces are maintained using household glass cleaner and a paper towel or cloth.

SATIN-ETCHED GLASS

This uniquely smooth-to-the-touch glass surface can be regularly maintained using household glass cleaner and a paper towel or cloth.

A 'Magic Eraser' removes minor scratches or scuffs not eliminated using a paper towel or cloth. 'Magic Eraser' is a melamine foam product available at any grocery store or home improvement center. Dampen the entire glass surface and the Magic Eraser, then rub the whole surface in broad, even strokes using moderate pressure. Clean and dry the surface with a paper towel. Check for results and repeat as necessary. Any scratches or scuffing not eliminated by one of the above methods can often be addressed by 'refreshing' the glass. This process should not be required more than once per 6-12 months. See this brief video for the simple method: www.bdiusa.com/glass

WOOD

Wood surfaces should be cleaned with a slightly damp (not saturated) cloth or paper towel. Do not use glass cleaner on wood. If moisture remains, dry the surface with another cloth. If needed, a gentle, non-abrasive cleanser may be used, but wipe away all cleaner residue and dry the surface with a cloth.

BDI's wood finishes feature natural hardwood solids and veneers. Wood is a product of nature and—unlike man-made materials that can be manufactured to strict and consistent specifications—has natural imperfections that are part of its appeal and character. Every piece of wood differs from every other, even when coming from the very same tree. As such, grain, texture, and tone variation should be expected from one panel or piece of furniture to the next.

While BDI's stained wood finishes are stable in tone & appearance, all finishes are subject to some degree of discoloration with prolonged exposure to direct sunlight. Please avoid positioning your BDI cabinet in any area with ample direct sunlight. To learn more about the features of natural wood, visit www.bdiusa.com/wood

METAL, PORCELAIN, & PAINTED SURFACES

Surfaces should be cleaned with a slightly damp (not saturated) cloth or paper towel. If moisture remains, dry the surface with another cloth. If needed, a gentle, non-abrasive cleanser may be used, but be sure to wipe away all cleaner residue and dry the surface with a cloth.

WARRANTY

BDI warrants to the original purchaser that for the below-stated warranty term, BDI will repair or replace any product, part, or component covered by this warranty that fails under everyday use due to a defect in material or workmanship. BDI will repair or replace the product mentioned above, part, or component with a comparable product, part, or component. The decision to repair or replace will be at BDI's sole discretion.


BDI furniture is warranted for three (3) years from the date of purchase, as shown on your sales receipt. The warranty period starts from the date of purchase. This warranty extends only to the original purchasers who acquire new products from BDI Authorized Resellers. To be eligible for warranty coverage, any product, part, or component must have been assembled, installed, used, and maintained according to BDI's published instructions. Any modification to the original product voids the warranty.

To view BDI's complete warranty information, visit www.bdiusa.com/warranty

PRODUCT REGISTRATION

Registering your new BDI product allows us to send you important product updates, service information, and helpful hints related to your BDI products.

Register today, and you will be **entered to win free a BINK table** from BDI: www.bdiusa.com/register



BDIUSA.COM

These distinctive product configurations are protected by US and international patents, trade dress, and/or copyright laws. Corridor & BDI are trademarks of Becker Designed, Inc. All rights reserved.
©2024, BDI | V.12.04.2023

Made in China.