


TWIN GLOBE PENDANT
White 3" Glass Globes w/Brim



SPECIFICATIONS

| | |
|-----------------------|--|
| Finish | Matte Black (BL), White (WH), or Polished Chrome (PC) |
| LED Color Temperature | Available in 2700K, 3000K, 3500K, and 4000K (3000K Standard) |
| Wattage | 6 Watts |
| Lumens | 450 Lumens |
| Driver Location | Integral in canopy |
| Dimming | Universal (TRIAC, ELV, 0-10V) |
| Color Rendering Index | 90CRI |
| Input Voltage | 120-277VAC - 50/60Hz |
| Weight | 2.4 lbs. (1.1 kgs.) |
| Max. Overall Height | 103in - field adjustable up/down as needed. |



ORDERING GUIDE

CATEGORY

SP

SP
Small Pendant

SERIES

TGS

TGS
Twin Globes

DIFFUSER

WH

WH - White

LENGTH

08

08
8" Length

FINISH

BL - Black
WH - White
PC - Polished Chrome

CCT

27K - 2700K
30K - 3000K
35K - 3500K
40K - 4000K
(30K Standard)

WATTS

6W

6W
6 Watts

MOUNTING

SP6
6.5" Round Canopy
MPC
Multi-Port Canopy

CABLE LENGTH

Indicate Cable Length in Inches - leave blank for default
096 = 96" (default)
300 = 300" (max.)

PRODUCT CODE

OPTIONS

Example: SP - TGS - WH - 08 - BL - 27U - 30K

Socket Color




Wattage (Lumens measured at 3000K)

- 2W** = 2 Watts / 86 Lumens, recommended for Multi-Port applications (Multi-Port system and JackTrack adapter).
- 3W** = 3 Watts / 133 Lumens, recommended for single pendant applications (5" Canopy and 2.5" Fascia Canopy).

Mounting












- SP5** = 6.5" round canopy with integrated driver (included), attaches to rear of canopy and sits inside ceiling mounted junction box
Cable with modular connector attaches to canopy w/ integrated universal driver (120-277V / TRIAC, ELV, 0-10V dimming)
- MPC** = Multi-port connector attaches to any of BlackJack's Multi-Port canopies (canopy and driver sold separately)
Cable with modular connector attaches to a driver inside a Multi-Port canopy (driver may be remote)
MPC options include:
Solo Systems, Duo Systems, and Quatro Systems



Cable Length

- 096** = 96" (Default Length).
- XXX** = Custom Length (300" = maximum length)
- For Custom Lengths, please indicate length in inches.

For more information on Solo Systems, Duo Systems, and Quatro Systems, see blackjack.com.

| Pendant Mounting | Canopy | Dimensions | End / Side View | Finish Options |
|------------------|--|---|--|---|
| SP6 | 6.5" Canopy Canopy and driver included with pendant |  6.5" dia. (12.7 cm) |  (Integrated Driver) .8" (2 cm) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC MPS MQ | 24" Multi-Port Square - 9 Port C-MPS-2409-# MQ-2409-# 24" Multi-Port Square - 25 Port C-MPS-2425-# MQ-2425-# |  8" OC (20.3 cm) 23.9" (60.7 cm) 9 Port  4.8" OC (12.2 cm) 23.9" (60.7 cm) 25 Port |  21.5" 54.6 cm 2.5" (6 cm) (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC MPT MD | 38" Multi-Port Rectangle - 10 Port C-MPT-3810-# MD-3810-# 38" Multi-Port Rectangle - 18 Port C-MPT-3818-# MD-3818-# |  7.5" OC (19 cm) 37.7" (97.8 cm) 3" OC (7.6 cm) 10 Port  4.1" OC (10.4 cm) 37.7" (97.8 cm) 2.5" OC (6.4 cm) 18 Port |  4.7" 11.9 cm 2.5" (6 cm) 6" 15.2 cm (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC MPL | 22" Multi-Port Linear - 5 Port C-MPL-2205-# MS-2205-# 48" Multi-Port Linear - 11 Port C-MPL-4811-# MS-4811-# |  4.4" OC (11.2 cm) 21.8" (56 cm) 2.8" (7 cm) 5 Port  4.4" OC (11.2 cm) 48" (123 cm) 2.8" (7 cm) 11 Port |  2.8" (7 cm) 1.4" (4 cm) (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |

For more information on Solo Systems, Duo Systems, and Quatro Systems, see blackjack.com.

| System | Pendant Mounting | Configuration Examples | Finish Options |
|--------|------------------|--|--|
| Quatro | | Square Configurations | <div>BL Matte Black</div> <div>PC Pol. Chrome</div> <div>BZ Bronze</div> <div>SG Satin Gold</div> <div>SS Satin Silver</div> |
| | | <div>4S (4' 2x2 / 9 Port) MQ-2409-XX-4S-X-XXK</div> <div><div>48" (122 cm)</div><div><div><div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div><div>8" OC (20.3 cm)</div></div></div> <div>6S (6' 3x3 / 25 Port) MQ-2425-XX-6S-X-XXK</div> <div><div>72" (182.9 cm)</div><div><div><div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div><div>4.8" OC (12.2 cm)</div></div></div> | |
| | | Linear Configurations | |
| | | <div>4L (4'x2' / 9 Port) MQ-2425-XX-4L-X-XXK</div> <div><div>48" (122 cm)</div><div><div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div><div>23.9" (60.7 cm)</div></div></div> <div>6L (6'x2' / 25 Port) MQ-2425-XX-6L-X-XXK</div> <div><div>72" (183 cm)</div><div><div><div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div><div>23.9" (60.7 cm)</div></div></div></div> | |
| Duo | | Linear Configurations | <div>BL Matte Black</div> <div>PC Pol. Chrome</div> <div>BZ Bronze</div> <div>SG Satin Gold</div> <div>SS Satin Silver</div> |
| | | <div>6L (6'4"x6" / 10 Port) MD-3810-XX-6L-X-XXK</div> <div><div>37.7" (97.8 cm)</div><div>7.5" OC (19 cm)</div><div>3" OC (7.6 cm)</div><div>76" (193 cm)</div></div> | |
| | | <div>9L (9'6"x6" / 18 Port) MD-3818-XX-9L-X-XXK</div> <div><div>4.1" OC (10.4 cm)</div><div>37.7" (97.8 cm)</div><div>2.5" OC (6.4 cm)</div><div>114" 290 cm</div></div> | |
| Solo | | Solo 48" Linear Configuration | <div>BL Matte Black</div> <div>PC Pol. Chrome</div> <div>BZ Bronze</div> <div>SG Satin Gold</div> <div>SS Satin Silver</div> |
| | | <div><div>48" (123 cm)</div><div>4.4" OC (11.2 cm)</div><div>2.8" (7 cm)</div><div>96" (243.8 cm)</div></div> | |
| | | Solo (L) Configuration <div><div>2.8" (7 cm)</div><div>96" (243.8 cm)</div><div>2.8" (7 cm)</div></div> | |
| | | Solo 22" Grid Configuration | <div>BL Matte Black</div> <div>PC Pol. Chrome</div> <div>BZ Bronze</div> <div>SG Satin Gold</div> <div>SS Satin Silver</div> |
| | | <div><div>24.6" OC (62.5 cm)</div><div>21.8" (56 cm)</div><div>2.8" (7 cm)</div><div>52" (132 cm)</div></div> | |
| | | Solo 48" Grid Configuration | <div>BL Matte Black</div> <div>PC Pol. Chrome</div> <div>BZ Bronze</div> <div>SG Satin Gold</div> <div>SS Satin Silver</div> |
| | | <div><div>18.8" OC (47.8 cm)</div><div>9.4" OC (23.9 cm)</div><div>2.8" (7 cm)</div><div>48" (123 cm)</div><div>86.8" (220.5 cm)</div></div> | |