



constellation wall lamps



loomma










Constellation wall lamps can be installed also upside down (except mussels and lens collection)

projects



Dark & Bright Star wall clear large



Metamorphosis wall amber large

options



clear
brushed gold



white
brushed gold



blue grey
brushed gold



amber
brushed gold



smoke
brushed gold

lens wall



amber
brushed gold



clear
brushed gold



cigar
brushed gold



amber
brushed gold



clear
brushed gold



cigar
brushed gold

metamorphosis wall



amber
brushed gold



clear
brushed gold



amber
brushed gold



clear
brushed gold

dark & bright star wall



blue
brushed gold



silver
brushed gold



gold
brushed gold



clear
brushed gold



frosted
brushed gold

soap mini wall



pearl
brushed gold



dark pearl
brushed gold



alabaster
brushed gold



clear
brushed gold



smoke
brushed gold

mussels wall



clear
brushed gold



clear
brushed gold

stellar dust wall

technical informations


LENS wall

Design by
Václav Mlynář and Jakub Pollág

Handmade glass attributes

The Lens Collection is made by our in-house developed, pressed glass technology. Any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this unique glassmaking process.

The glass parts of Lens are hand-painted, so the intensity of color may vary slightly.



LIGHTING DESCRIPTION

Size	160 × 156 × 400 mm 6,2 × 6,14 × 15,75 inch
Weight	+/- 3,5 kg / 7,7 lb
Glass	lead-free crystal in white, clear, amber, smoke, blue grey
Mounting	brushed gold (brushed brass)
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth) UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+
Dimming	EU/Other versions - non-dimmable UL/The Americas - TRIAC, ELV

TRANSFORMER

Primary circuit	100-240V, 50/60 Hz,
Secondary circuit	12VDC, +0,5A, 5W

PACKAGING

Material	Cardboard
Size	220 × 220 × 250 mm 8,6 × 8,6 × 9,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES



DARK & BRIGHT STAR


wall large

Design by
Dechem Studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles and/or irregularities in the glass are both a proof and a characteristic feature of this traditional craft.

The Dark and Bright Star Collection is produced in two colors, simply referred to as dark and bright. The bright version is clear glass with an opaque sanded finish, the dark version is made of fully-colored glass. Thanks to the manual process of blowing, each piece is an original. Individual products may vary slightly in hue or color intensity.



LIGHTING DESCRIPTION

Size	150 × 184 × 400 mm 5,9 × 7,24 × 15,75 inch
Weight	+/- 2,5 kg / 5,5 lb
Glass	mouth-blown lead-free crystal in dark and bright
Mounting	brushed gold (brushed brass) anthracite (brass and galvanized black nickel)
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth) UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V A.C. 50 hz (EU) 110-120 V A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+
Dimming	EU/Other versions - non-dimmable UL/The Americas - TRIAC, ELV

TRANSFORMER

Primary	100-240V, 50/60 Hz
Dimmer	12VDC, +/-0,5A, 5W

PACKAGING

Material	Cardboard
Size	220 × 220 × 250 mm 8,6 × 8,6 × 9,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES



bomma


DARK & BRIGHT STAR wall

Design by
Dechem Studio

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles and/or irregularities in the glass are both a proof and a characteristic feature of this traditional craft.

The Dark and Bright Star Collection is produced in two colors, simply referred to as dark and bright. The bright version is clear glass with an opaque sanded finish, the dark version is made of fully-colored glass. Thanks to the manual process of blowing, each piece is an original. Individual products may vary slightly in hue or color intensity.



LIGHTING DESCRIPTION

Size	100 × 159 × 350 mm
	3,94 × 6,26 × 13,78 inch
Weight	+/- 1,7 kg / 3,75 lb
Glass	mouth-blown lead-free crystal in dark and bright
Mounting	brushed gold (brushed brass)
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth)
	UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V A.C. 50 hz (EU)
	110-120 V A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+
Dimming	EU/Other versions - non-dimmable UL/The Americas - TRIAC, ELV Single pendant is non-dimmable except UL

TRANSFORMER

Primary circuit	100-240V, 50/60 Hz
Dimmer circuit	12VDC, +/-0,5A, 5W

PACKAGING

Material	Cardboard
Size	220 × 220 × 250 mm
	8,6 × 8,6 × 9,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES



METAMORPHOSIS


wall large

Design by
Rony Plesl

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles and irregularities in the glass are both a proof and a characteristic feature of this traditional craft.

The Metamorphosis Collection is produced in three colors, simply referred to as amber, smoke and clear. The clear version is made from pure crystal glass, while cigar and amber are produced from solid-color crystal. Each piece is original, thanks to the hand-cutting process. The clear and amber versions are cut using a diamond pattern, cigar is decorated with a curved geometric design. Being hand-made, the individual products can slightly differ in tone, color intensity or cut.



LIGHTING DESCRIPTION

Size	124 × 173 × 435 mm 4,88 × 6,8 × 17,13 inch
Weight	+/- 1,75 kg / 3,86 lb
Glass	mouth-blown lead-free crystal in clear, cigar, amber
Mounting	brushed gold (brushed brass)
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth) UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+

Dimming	EU/Other versions - non-dimmable UL/The Americas - TRIAC, ELV
---------	--

TRANSFORMER

Primary circuit	100-240V, 50/60 Hz,
Secondary circuit	12VDC, +/-0,5A, 5W

PACKAGING

Material	Cardboard
Size	220 × 220 × 250 mm 8,6 × 8,6 × 9,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES



METAMORPHOSIS


wall small

Design by
Rony Plesl

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles and irregularities in the glass are both a proof and a characteristic feature of this traditional craft.

The Metamorphosis Collection is produced in three colors, simply referred to as amber, smoke and clear. The clear version is made from pure crystal glass, while cigar and amber are produced from solid-color crystal. Each piece is original, thanks to the hand-cutting process. The clear and amber versions are cut using a diamond pattern, cigar is decorated with a curved geometric design. Being hand-made, the individual products can slightly differ in tone, color intensity or cut.



LIGHTING DESCRIPTION

Size	86 × 154 × 386 mm 3,39 × 6,06 × 15,2 inch
Weight	+/- 1,45 kg / 3,2 lb
Glass	mouth-blown lead-free crystal in clear, cigar, amber
Mounting	brushed gold (brushed brass)
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth) UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+

Dimming	EU/Other versions - non-dimmable UL/The Americas - TRIAC, ELV
---------	--

TRANSFORMER

Primary circuit	100-240V, 50/60 Hz,
Secondary circuit	12VDC, +/-0,5A, 5W

PACKAGING

Material	Cardboard
Size	220 × 220 × 250 mm 8,6 × 8,6 × 9,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES




MUSSELS wall

Design by
Václav Mlynář

Handmade glass attributes

The Mussels Collection is made by our in-house developed, pressed glass technology. Any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this unique glassmaking process.

The glass parts of Mussels are hand-painted, so the intensity of color may vary slightly.



LIGHTING DESCRIPTION

Size	146 × 156 × 433 mm
	5,75 × 6,14 × 17,05 inch
Weight	+/- 2,5 kg / 5,5 lb
Glass	lead-free crystal in clear, alabaster, smoke and dark pearl
Mounting	brushed gold = brushed brass
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth)
	UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+
Dimming	EU/Other versions - non-dimmable UL/The Americas - TRIAC, ELV

TRANSFORMER

Primary circuit	100-240V, 50/60 Hz
Secondary circuit	12VDC, +/-0,5A, 5W

PACKAGING

Material	Cardboard
Size	220 × 220 × 250 mm
	8,6 × 8,6 × 9,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES



SOAP MINI wall


Design by
Ota Svoboda

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The intensity and color shade of metalcoated glass may vary slightly from product to product. Small dots in the coating, especially visible after the light is on, are not a defect of the product.

When installing and cleaning, touch the coated glass only with the gloves supplied. Failure to do so could cause irreversible damage to the surface. Never use liquid solutions or chemical cleaners to clean the metal-coated glass. Wipe the surface with a soft, dry cloth only.



LIGHTING DESCRIPTION

Size	100 × 160 × 400 mm 3,94 × 6,3 × 15,75 inch
Weight	+/- 1,25 kg / 2,76 lb
Glass	mouth-blown lead-free crystal in clear, frosted or with metal coating in silver, gold and blue
Mounting	brushed gold (brushed brass)
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth) UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE

Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+

Dimming	EU/Other versions - non-dimmable UL/The Americas - TRIAC, ELV
---------	--

TRANSFORMER

Primary circuit	100-240V, 50/60 Hz,
Secondary circuit	12VDC, +/-0,5A, 5W

PACKAGING

Material	Cardboard
Size	220 × 220 × 250 mm 8,6 × 8,6 × 9,8 inch

Origin: traditionally produced in the Czech Republic
Intellectual property license holder: Bomma Czech Republic (EU)
Represented by BMRC group s.r.o.

CERTIFICATES




bomma

STELLAR DUST wall

Design by
CMC Architects, Václav Mlynář
and Jakub Pollág

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft



LIGHTING DESCRIPTION	
Size	dia 110 mm, H 90 mm
	dia 4,3 inch, H 3,54 inch
Weight	+ - 1,6 kg / 3,53 lbs
Glass	clear lead-free crystal
Mounting	brushed gold (brushed brass)
Recommended junction box	EU - A.UK1-SH (72mm dia, 60mm min. depth) UL/The Americas - electrical box, Octagon, 4 X 4 inch (1,4 inch min. depth)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU)
	110-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

LIGHT SOURCE	
Type	G4, 1,2W LED, 100 lm
Base	G4 (EU) / G4 (USA)
Voltage	12VDC, 100mA
Temperature	2700 K
Color index	RA 90+
Dimming	EU/Other versions - non-dimmable
	UL/The Americas - TRIAC, ELV

TRANSFORMER	
Primary circuit	100-240V, 50/60 Hz,
Secondary circuit	12VDC, +-0,5A, 5W

PACKAGING	
Material	Cardboard
Size	220 x 220 x 250 mm
	8,6 x 8,6 x 9,8 inch
Origin: traditionally produced in the Czech Republic Intellectual property license holder: Bomma Czech Republic (EU) Represented by BMRC group s.r.o.	

CERTIFICATES



BMRC Group s.r.o.
Pod Dráhou 1638/7,
Prague 7, 170 00,
Czech Republic

info@bomma.cz

step beyond