



Marc ARM 250

By
David Abad

Architectural
Lighting

Collections

Technical Description				Packaging	
Degree of Protection		Regulation	1-10V	Net Weight per Item	2.00 Kg
Class		Light type		Box Sizes	15 x 15 x 280 cm - 0.063 m3
Adjustable		Light source included	No	Gross Weight	--
Casambi		Energy classification	-		
Certifications					

Description

A LED lamp collection composed of a suspension (S), ceiling (C), and two wall (W and ARM) versions. Made of aluminium, they feature an opal polycarbonate diffuser and emit direct (1L) or indirect (1L) light, or both (2L), except for the Marc C (1L). The entire collection is available in different finishes: matte grey, satin white, satin black, and oak laminate. A version featuring two “on” settings and a dimmer version are available. Other measurements, finishes and an emergency kit are optional.

Finishes

SHADE

Black

White

Natural Oak

GreyNatural Walnut

Collection

Marc ARM

Marc C

Marc S

Marc W

Codes	Luminaire	Light Source
839582DU	MARC ARM250 1L LED DIM BLACK USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
839587DU	MARC ARM250 2L LED DIM BLACK USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
839580DU	MARC ARM250 1L LED DIM GREY USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
839581DU	MARC ARM250 1L LED DIM WHITE USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
839583DU	MARC ARM250 1L LED DIM OAK USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
839585DU	MARC ARM250 2L LED DIM GREY USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
839586DU	MARC ARM250 2L LED DIM WHITE USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
839588DU	MARC ARM250 2L LED DIM OAK USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V

DOWNLOADS



Marc_Arm_Assembly_USA.pdf

