



# Marc S 160

By  
David Abad

Arquitectural  
Lighting Collections


| Technical Description |                 |                       | Packaging |                                      |
|-----------------------|-----------------|-----------------------|-----------|--------------------------------------|
| Degree of Protection  | IP20            | Regulation            | 1-10V     | Net Weight per Item2.00 Kg           |
| Class                 |                 | Light type            |           | Box Sizes10 x 14 x 181 cm - 0.025 m3 |
| Adjustable            | DIM             | Light source included | No        | Gross Weight--                       |
| Casambi               |                 | Energy classification | -         |                                      |
| Certifications        | ERACULUS LISTED |                       |           |                                      |

Description

A LED lamp collection composed of a suspension (S), ceiling (C), and two wall (W and ARM) versions. Made of aluminium, they feature an opal polycarbonate diffuser and emit direct (1L) or indirect (1L) light, or both (2L), except for the Marc C (1L). The entire collection is available in different finishes: matte grey, satin white, satin black, and oak laminate. A version featuring two “on” settings and a dimmer version are available. Other measurements, finishes and an emergency kit are optional.

Finishes

SHADE



Collection



| Codes    | Luminaire                      | Light Source                                                |
|----------|--------------------------------|-------------------------------------------------------------|
| 839372DU | MARC S160 1L LED DIM BLACK USA | LED 25.4W 4420lm 450mA 3000K CRI>=90 110-277V DIM 1-10V     |
| 839377DU | MARC S160 2L LED DIM BLACK USA | LED 2 x 25.4W 8840lm 450mA 3000K CRI>=90 110-277V DIM 1-10V |
| 839370DU | MARC S160 1L LED DIM GREY USA  | LED 25.4W 4420lm 450mA 3000K CRI>=90 110-277V DIM 1-10V     |
| 839371DU | MARC S160 1L LED DIM WHITE USA | LED 25.4W 4420lm 450mA 3000K CRI>=90 110-277V DIM 1-10V     |
| 839373DU | MARC S160 1L LED DIM OAK USA   | LED 25.4W 4420lm 450mA 3000K CRI>=90 110-277V DIM 1-10V     |
| 839375DU | MARC S160 2L LED DIM GREY USA  | LED 2 x 25.4W 8840lm 450mA 3000K CRI>=90 110-277V DIM 1-10V |
| 839376DU | MARC S160 2L LED DIM WHITE USA | LED 2 x 25.4W 8840lm 450mA 3000K CRI>=90 110-277V DIM 1-10V |
| 839378DU | MARC S160 2L LED DIM OAK USA   | LED 2 x 25.4W 8840lm 450mA 3000K CRI>=90 110-277V DIM 1-10V |

DOWNLOADS

 Marc\_S\_Assembly\_USA.pdf

