



# Aspen C 17B

By  
Werner Aisslinger

Decorative  
Lighting

Ceiling  
lamps

Configurator

## Description

Direct and diffused light ceiling lamp. Matte lacquered finishes, with different combinations: Brass, Mustard, Lemon, Mango, Pearl, Orange, Burgundy, Rose, Red, Aqua, River, Horizon, Turquoise, Forest, Khaki, Black, Silex, Concret, Limestone, Grey, Brown, Snow and Terracotta. Available in five sizes.

| Technical Description |               |                       | Packaging           |                    |
|-----------------------|---------------|-----------------------|---------------------|--------------------|
| Degree of Protection  | IP20          | Regulation            | Net Weight per Item | 2.00 Kg            |
| Class                 |               | Light type            | Box Sizes           | 25x24x59 cm - 1 m3 |
| Adjustable            | DIM           | Light source included | Gross Weight        | --                 |
| Casambi               |               | Energy classification |                     |                    |
| Certifications        | EACUL LIMITED |                       |                     |                    |

SHADE

- Brass (matte)

Turquoise (matte) RAL 6034

Lemon (matte) RAL 1018

Rose (matte) RAL 3015

Mustard (matte) RAL 1012

Burgundy (matte) RAL 3011

Forest (matte) RAL 6035

Concret (matte) RAL 7033
- Aqua (matte) RAL 5024

Grey (matte) RAL 7037

Mango (matte) RAL 1034

Snow (matte) RAL 9003

Pearl (matte) RAL 1035

Red (matte) RAL 3020

Khaki (matte) RAL 7008

Brown (matte) RAL 8025
- Black (matte) RAL 7021

Limestone (matte) RAL 7035

River (matte) RAL 5017

Terracotta (matte)

Orange (matte) RAL 2013

Horizon (matte) RAL 5023

Silex (matte) RAL 7032

Collection

- 

Aspen C
- 

Aspen F
- 

Aspen S
- 

Aspen SH

| Codes   | Luminaire      | Light Source                                                  |
|---------|----------------|---------------------------------------------------------------|
| 727421U | ASPEN C17B USA | LED 15W (E26) / Fluo/CFL max. 30W (E26) / Inc. Max. 70W (E26) |

DOWNLOADS

↓ Aspen\_C\_Assembly\_USA.pdf

↓ Aspen\_C\_2D\_USA.pdf

↓ Aspen\_C\_Photometry\_USA.zip

