


LUMINAIRE PHOTOMETRIC TEST REPORT

NAME: IRIS TOTEM 50	TYPE:LED灯	WEIGHT:
DIM.:	SPEC.:	SERIAL No.:
MFR.:	SUR.:D500	PROTECTION ANGLE:

DATA OF LAMP		PHOTOMETRIC DATA Eff: 37.66 lm/W			
MODEL		I _{max} (cd)	362.5	S/MH (C0/180)	1.28
NOMINAL POWER (W)	28	LOR (%)	100.0	S/MH (C90/270)	1.26
RATED VOLTAGE (V)	220	TOTAL FLUX (lm)	1076.7	UP, DN (C0-180)	0.0, 48.7
NOMINAL FLUX (lm)	1076.68	CIE CLASS	DIRECT	UP, DN (C180-360)	0.0, 51.3
LAMPS INSIDE	1	up (%)	0.0	CIBSE SHR NOM	1.25
TEST VOLTAGE (V)	219.2	down (%)	100.0	CIBSE SHR MAX	1.35



C Range: 0 - 360DEG
C Interval: 5.0DEG
Test Speed: HIGH
Temperature: 25.3DEG
Operators: ZHAIWW
Test Date: 2024-06-18

Range: 0 - 90DEG
Interval: 0.5DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.265
Humidity: 65.0%
Test Distance: 9.750m [K=1.0000]
Remarks: