

WAC LIGHTING

Cyllindra

Round Multi Light 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-77503R	2700K/3000K/3500K/4000K	AB Aged Brass BC Black Chrome	28W	2299	1642

Example: **PD-77503R-BC**
For custom requests please contact customs@wacighting.com

DESCRIPTION


A translucent acrylic sphere divided by a single metallic band captures a clean, modern aesthetic. Multiple pendants are installed on a square canopy to make a impressive visual statement in any space.

FEATURES

- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

SPECIFICATIONS


Color Temp:	2700K/3000K/3500K/4000K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-10% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with acrylic globes



FINISHES:



LINE DRAWING



WAC LIGHTING

Cyllindra

Round Multi Light 4CCT

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-77505R	2700K/3000K/3500K/ 4000K	AB Aged Brass BC Black Chrome	48W	3941	2815

Example: **PD-77505R-BC**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A translucent acrylic sphere divided by a single metallic band captures a clean, modern aesthetic. Multiple pendants are installed on a square canopy to make a impressive visual statement in any space.

FEATURES

- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K/3000K/3500K/4000K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-10% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with acrylic globes



FINISHES:




Aged Brass



Black
Chrome

LINE DRAWING



WAC LIGHTING

Cyllindra

Round Multi Light 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-77509R	2700K/3000K/3500K/4000K	AB Aged Brass BC Black Chrome	84W	6896	4926

Example: **PD-77509R-BC**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A translucent acrylic sphere divided by a single metallic band captures a clean, modern aesthetic. Multiple pendants are installed on a square canopy to make a impressive visual statement in any space.

FEATURES


- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

SPECIFICATIONS


Color Temp:	2700K/3000K/3500K/4000K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-10% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with acrylic globes



FINISHES:



LINE DRAWING



WAC LIGHTING

Cyllindra

Round Multi Light 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-77515R	2700K/3000K/3500K/4000K	AB Aged Brass BC Black Chrome	140W	10920	7800

Example: **PD-77515R-BC**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A translucent acrylic sphere divided by a single metallic band captures a clean, modern aesthetic. Multiple pendants are installed on a square canopy to make a impressive visual statement in any space.

FEATURES


- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

SPECIFICATIONS


Color Temp:	2700K/3000K/3500K/4000K
Input:	120-277V, 50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-10% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with acrylic globes



FINISHES:



LINE DRAWING



WAC LIGHTING

Cyllindra

Round Multi Light 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-77521R	2700K/3000K/3500K/4000K	AB Aged Brass BC Black Chrome	196W	14483	10345

Example: **PD-77521R-BC**
For custom requests please contact customs@wacighting.com

DESCRIPTION

A translucent acrylic sphere divided by a single metallic band captures a clean, modern aesthetic. Multiple pendants are installed on a square canopy to make a impressive visual statement in any space.

FEATURES



- Thin, adjustable powered aircraft cables for an ultra-clean look
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Driver included
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K/3000K/3500K/4000K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-10% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with acrylic globes



FINISHES:



Aged Brass Black Chrome

LINE DRAWING

