

WAC LIGHTING

Parthenon

Ceiling Mount 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
FM-37505 5"	2700K	AB Aged Brass	10.8	522	205
		BK Black		535	209
		BN Brushed Nickel		578	222
		WT White		589	230
	3000K				
	3500K				
	4000K				

Example: **FM-37505-40-WT**
For custom requests please contact customs@waclighting.com

DESCRIPTION

Temple of Light. A rolled metalwork frame defines the ceiling with bold architectural elegance. Adding a touch of contrast and softening the glow, a creamy acrylic diffuser rests at the base, completing the design with understated refinement.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Downlight with halo uplight
- ACLED driverless technology
- 5 Year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , TRIAC: Yes%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware

FINISHES:



Aged Brass Black Brushed Nickel White

WAC LIGHTING

Parthenon

Ceiling Mount 4CCT


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING:



WAC LIGHTING

Parthenon

Ceiling Mount 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
FM-37510 10"	2700K	AB Aged Brass	18W	1729	556
		BK Black	10W	1751	578
		BN Brushed Nickel		1867	624
		WT White			
	3000K				
	3500K				
	4000K				

Example: **FM-37510-40-WT**
For custom requests please contact customs@waclighting.com

DESCRIPTION

Temple of Light. A rolled metalwork frame defines the ceiling with bold architectural elegance. Adding a touch of contrast and softening the glow, a creamy acrylic diffuser rests at the base, completing the design with understated refinement.

FEATURES




- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Downlight with halo uplight
- ACLED driverless technology
- 5 Year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , TRIAC: Yes%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware

FINISHES:



Aged Brass Black Brushed Nickel White

WAC LIGHTING

Parthenon

Ceiling Mount 4CCT


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING:



WAC LIGHTING

Parthenon

Ceiling Mount 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
FM-37515 15"	2700K	AB Aged Brass	23W	2305	1089
		BK Black		2407	1116
		BN Brushed Nickel		2567	1175
		WT White		2599	1183
	3000K				
	3500K				
	4000K				

Example: **FM-37515-40-WT**
For custom requests please contact customs@waclighting.com

DESCRIPTION

Temple of Light. A rolled metalwork frame defines the ceiling with bold architectural elegance. Adding a touch of contrast and softening the glow, a creamy acrylic diffuser rests at the base, completing the design with understated refinement.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Downlight with halo uplight
- ACLED driverless technology
- 5 Year warranty



SPECIFICATIONS


Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , TRIAC: Yes%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware

FINISHES:


Aged Brass


Black


Brushed Nickel


White

WAC LIGHTING

Parthenon

Ceiling Mount 4CCT


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING:



WAC LIGHTING

Parthenon

Ceiling Mount 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
FM-37522 22"	2700K	AB Aged Brass	26W	4380	1839
		BK Black		4613	1887
		BN Brushed Nickel		4861	1987
		WT White		4867	2055
	3000K				
	3500K				
	4000K				

Example: **FM-37522-40-WT**
For custom requests please contact customs@waclighting.com

DESCRIPTION

Temple of Light. A rolled metalwork frame defines the ceiling with bold architectural elegance. Adding a touch of contrast and softening the glow, a creamy acrylic diffuser rests at the base, completing the design with understated refinement.

FEATURES


- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Downlight with halo uplight
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , TRIAC: Yes%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware



FINISHES:



WAC LIGHTING

Parthenon

Ceiling Mount 4CCT

Fixture Type:

Catalog Number:

Project:

Location:

LINE DRAWING:

