

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our
configurator, preview it in a virtual
room and augmented reality.



Table of contents

1. Product Overview	Page 2
2. Finishes & Materials	Page 2
3. Light Source & Dimming	Page 2
4. Functionality & Accessories	Page 3
5. Recommended Use & Installation Height	Page 3
6. Installation	Page 4
7. Photometric Data & Technical Information	Page 4
8. Ordering Codes	Page 5
9. Certifications & Standards	Page 20
10. Maintenance & Cleaning	Page 20

Versions:



Individual
Page 5



Individual S-M-L
Page 7



Multiple linear
Page 13



Multiple round
Page 17

Belt

suspension lamp




Configurator.estiluz.com
Customize your creation with our
configurator, preview it in a virtual
room and augmented reality.

1. Product Overview

Suspension lamp featuring a metal body, optional metal and glass shades. Acrylic (PMMA) lens diffuser, and integrated LED. The metal and glass shades can be arranged in multiple positions and combinations, allowing for customizable designs and light effects. The metal shade comes in three sizes and can be mounted facing up or down during installation. Adjustable height. Individual or multiple canopy, suitable for creating various compositions.



2. Finishes & Materials



Glass Shade: White Opal

Body/Metal Shade: 89 Pale Green
94 Champagne
96 Anthracite

We offer custom plated or RAL
finishes and shades.

Canopy: 89 Pale Green
94 Champagne
96 Anthracite

3. Light Source & Dimming

Lamping per head

LED 6.2W (Ang. 70° / >90 CRI / 350mA) 120V

2700K / Typ* 725 lumens


3000K / Typ* 763 lumens

*Integrated LED module (included).

Non dimmable

Belt

suspension lamp




Configurator.estiluz.com
Customize your creation with our
configurator, preview it in a virtual
room and augmented reality.

4. Functionality & Accessories

Possibility to create different compositions. Versions and sizes available for projects. Consult our offices.

Flexibility / Possible Shapes:




Vegetation kit with artificial greenery. Not waterproof. Suitable for pendant with large metal shade (17.3/4") .



5. Recommended Use & Installation Height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks.

We recommend positioning the light source approximately 33" above the surface. For more accurate information, refer to the photometric report.



Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

6. Installation

Single canopy

Clusters

Surface

Linear

Round





7. Photometric Data & Technical Information

Photometric data corresponds to the output of each individual head.



Access to photometric files in download area.

2D / 3D Files available. Access to files in download area here.



Acrylic lens,
metal shade up



Acrylic lens, metal shade down
with and without glass shade



Acrylic lens, metal shade up, with
glass shade



Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4144S
LED 6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single

- Finishes

Canopy:

89 Pale Green

94 Champagne

96 Anthracite

Body:

89 Pale Green

94 Champagne


96 Anthracite



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4144S 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4144S_8989W	BEL_4144S_8989M
		Champagne	Champagne	BEL_4144S_9494W	BEL_4144S_9494M
		Anthracite	Anthracite	BEL_4144S_9696W	BEL_4144S_9696M

Belt

suspension lamp



Configurator.estiluz.com

Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4144SG
LED 6.2W (Ang. 70° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single


Finishes	
Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
<p>BEL_4144SG</p> 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4144SG_8989W	BEL_4144SG_8989M
		Champagne	Champagne	BEL_4144SG_9494W	BEL_4144SG_9494M
		Anthracite	Anthracite	BEL_4144SG_9696W	BEL_4144SG_9696M

Belt

suspension lamp



Configurator.estiluz.com

Customize your creation with our configurator, preview it in a virtual room and augmented reality.


8. Ordering Codes

Lamping 4145SS
LED 6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single

Finishes	
Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite

Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
<p>BEL_4145SS</p> 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SS_8989W	BEL_4145SS_8989M
		Champagne	Champagne	BEL_4145SS_9494W	BEL_4145SS_9494M
		Anthracite	Anthracite	BEL_4145SS_9696W	BEL_4145SS_9696M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our
configurator, preview it in a virtual
room and augmented reality.

8. Ordering Codes


Lamping 4145SSG
LED 6.2W (Ang. 70° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single

Finishes
Canopy:
89 Pale Green
94 Champagne
96 Anthracite
Body:
89 Pale Green
94 Champagne
96 Anthracite



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SSG 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SSG_8989W	BEL_4145SSG_8989M
		Champagne	Champagne	BEL_4145SSG_9494W	BEL_4145SSG_9494M
		Anthracite	Anthracite	BEL_4145SSG_9696W	BEL_4145SSG_9696M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SM
LED 6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single

Finishes	
Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite

Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
<div> <div>BEL_4145SM</div> </div>	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SM_8989W	BEL_4145SM_8989M
		Champagne	Champagne	BEL_4145SM_9494W	BEL_4145SM_9494M
		Anthracite	Anthracite	BEL_4145SM_9696W	BEL_4145SM_9696M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SMG
LED 6.2W (Ang. 70° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single

- Finishes

Canopy:

89 Pale Green

94 Champagne

96 Anthracite

Body:

89 Pale Green

94 Champagne

96 Anthracite



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SMG 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SMG_8989W	BEL_4145SMG_8989M
		Champagne	Champagne	BEL_4145SMG_9494W	BEL_4145SMG_9494M
		Anthracite	Anthracite	BEL_4145SMG_9696W	BEL_4145SMG_9696M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SL
LED 6.2W (Ang. 60° / >90 CRI / 350mA) 120V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens
*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single

Accessory available: Vegetation KIT

Finishes
Canopy:
89 Pale Green
94 Champagne
96 Anthracite


Body:
89 Pale Green
94 Champagne
96 Anthracite



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SL 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SL_8989W	BEL_4145SL_8989M
		Champagne	Champagne	BEL_4145SL_9494W	BEL_4145SL_9494M
		Anthracite	Anthracite	BEL_4145SL_9696W	BEL_4145SL_9696M

Vegetation KIT Ordering Code
Artificial greenery included.
Not waterproof.

124145890



Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SLG

LED 6.2W (Ang. 70° / >90 CRI / 350mA) 120V

2700K / Typ* 725 lumens

3000K / Typ* 763 lumens

*Integrated LED module (included).

DIM: Non dimmable

Canopy: Single

Accessory available: Vegetation KIT

Finishes

Canopy:

89 Pale Green

94 Champagne

96 Anthracite

Body:

89 Pale Green

94 Champagne

96 Anthracite




Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SLG 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SLG_8989W	BEL_4145SLG_8989M
		Champagne	Champagne	BEL_4145SLG_9494W	BEL_4145SLG_9494M
		Anthracite	Anthracite	BEL_4145SLG_9696W	BEL_4145SLG_9696M

Vegetation KIT Ordering Code

Artificial greenery included.


Not waterproof.

124145890



Belt

suspension lamp



Configurator.estiluz.com

Customize your creation with our configurator, preview it in a virtual room and augmented reality.


8. Ordering Codes

Lamping L73S3SG		Finishes	
LED 3x6.2W (Ang. 70° / >90 CRI / 350mA) 120V		Canopy:	Body:
2700K / Typ* 3x725 lumens		89 Pale Green	89 Pale Green
3000K / Typ* 3x763 lumens		94 Champagne	94 Champagne
Canopy: Multiple Linear Surface		96 Anthracite	96 Anthracite
DIM: Non dimmable		74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
<p>BEL_L73S3SG</p> 	Pale Green	Pale Green	BEL_L73S3SG_8989W	BEL_L73S3SG_8989M
	Champagne	Champagne	BEL_L73S3SG_9494W	BEL_L73S3SG_9494M
	Anthracite	Anthracite	BEL_L73S3SG_9696W	BEL_L73S3SG_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L73S2MG
LED 2x6.2W (Ang. 70° / >90 CRI / 350mA) 120V
2700K / Typ* 2x725 lumens
3000K / Typ* 2x763 lumens

Canopy: Multiple Linear Surface

DIM: Non dimmable


Finishes

Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_L73S2MG	Pale Green	Pale Green	BEL_L73S2MG_8989W	BEL_L73S2MG_8989M
	Champagne	Champagne	BEL_L73S2MG_9494W	BEL_L73S2MG_9494M
	Anthracite	Antracite	BEL_L73S2MG_9696W	BEL_L73S2MG_9696M
	White	Multicolor	Upon request	Upon request
	Anthracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com

Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L92S3MG
LED 3x6.2W (Ang. 70° / >90 CRI / 350mA) 120V
2700K / Typ* 3x725 lumens
3000K / Typ* 3x763 lumens

Canopy: Multiple Linear Surface

DIM: Non dimmable

Finishes	
Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
<p>BEL_L92S3MG</p> 	Pale Green	Pale Green	BEL_L92S3MG_8989W	BEL_L92S3MG_8989M
	Champagne	Champagne	BEL_L92S3MG_9494W	BEL_L92S3MG_9494M
	Anthracite	Anthracite	BEL_L92S3MG_9696W	BEL_L92S3MG_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L165S1G2SG1MG1L1LG
LED 6x6.2W (Ang. 70° / >90 CRI / 350mA) 120V
2700K / Typ* 6x725 lumens
3000K / Typ* 6x763 lumens

Canopy: Multiple Linear Surface


DIM: Non dimmable

Finishes	
Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
Pale Green	Pale Green	BEL_L165S1G2SG1MG1L1LG_8989W	BEL_L165S1G2SG1MG1L1LG_8989M
Champagne	Champagne	BEL_L165S1G2SG1MG1L1LG_9494W	BEL_L165S1G2SG1MG1L1LG_9494M
Anthracite	Anthracite	BEL_L165S1G2SG1MG1L1LG_9696W	BEL_L165S1G2SG1MG1L1LG_9696M
White	Multicolor	Upon request	Upon request
Antracite	Multicolor	Upon request	Upon request


Drawing

BEL_L165S1G2SG1MG1L1LG



Belt

suspension lamp



[Configurator.estiluz.com](https://configurator.estiluz.com)
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.


8. Ordering Codes

Lamping R40S3G
 LED 3x6.2W (Ang. 70° / >90 CRI / 350mA) 120V
 2700K / Typ* 3x725 lumens
 3000K / Typ* 3x763 lumens

Canopy: Multiple Round Surface

DIM: Non dimmable

Finishes	
Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
<div> <div> <div>BEL_R40S3G</div>  </div> </div>	Pale Green	Pale Green	BEL_R40S3G_8989W	BEL_R40S3G_8989M
	Champagne	Champagne	BEL_R40S3G_9494W	BEL_R40S3G_9494M
	Anthracite	Anthracite	BEL_R40S3G_9696W	BEL_R40S3G_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our
configurator, preview it in a virtual
room and augmented reality.

8. Ordering Codes

Lamping R40S2SG1MG

LED 3x6.2W (Ang. 70° / >90 CRI / 350mA) 120V

2700K / Typ* 3x725 lumens

3000K / Typ* 3x763 lumens

Canopy: Multiple Round Surface

DIM: Non dimmable

Finishes

Canopy:

89 Pale Green

94 Champagne

96 Anthracite

74 White

Body:

89 Pale Green

94 Champagne

96 Anthracite

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
<p>max. 3500 mm max. 137.3/4"</p> <p>Ø 400 mm Ø 15.3/8"</p> <p>51 mm 2"</p> <p>Ø 250 mm Ø 9.7/8"</p> <p>Ø 35 mm Ø 13.3/4"</p> <p>Ø 465 mm Ø 18.1/4"</p> <p>Ø 441 mm Ø 17.3/8"</p>	Pale Green	Pale Green	BEL_R40S2SG1MG_8989W	BEL_R40S2SG1MG_8989M
	Champagne	Champagne	BEL_R40S2SG1MG_9494W	BEL_R40S2SG1MG_9494M
	Anthracite	Anthracite	BEL_R40S2SG1MG_9696W	BEL_R40S2SG1MG_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping R70S1M2MG1L2LG
LED 6x6.2W (Ang. 70° / >90 CRI / 350mA) 120V
2700K / Typ* 6x725 lumens
3000K / Typ* 6x763 lumens

Canopy: Multiple Round Surface


DIM: Non dimmable

Finishes	
Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
Pale Green	Pale Green	BEL_R70S1M2MG1L2LG_8989W	BEL_R70S1M2MG1L2LG_8989M
Champagne	Champagne	BEL_R70S1M2MG1L2LG_9494W	BEL_R70S1M2MG1L2LG_9494M
Anthracite	Anthracite	BEL_R70S1M2MG1L2LG_9696W	BEL_R70S1M2MG1L2LG_9696M
White	Multicolor	Upon request	Upon request
Antracite	Multicolor	Upon request	Upon request


Drawing

BEL_R70S1M2MG1L2LG



Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our
configurator, preview it in a virtual
room and augmented reality.

9. Certifications & Standards



Warranty: 1 year
100% made in Spain

Estiluz products are guaranteed against manufacturing defect for one year from date of delivery. Estiluz products with integral LED modules and drivers are guaranteed against manufacturing defects for five years from date of delivery. This guarantee is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

10. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.