

PI wall coat rack - varnished sycamore

70/10/21

29872

Description

The PI collection honours nature's design by keeping the strength, curves and lines, as nature intended. Interesting shapes are discovered in this sleek and stylish, polished imperfect finish. Each PI wall coat rack is finished by hand to ensure that the individual character of the wood is respected. Designed by Alain van Havre.



Designer Alain Van Havre

For Alain van Havre, inspiration is everything. Deeply connected to his environment and passionate about natural materials, he has developed an exceptional expertise for woodworking. Over the years, he has created his own visual language centred around form, a translation best described in collections such as the Bok, Graphic, PI, and Stairs. He believes that for someone to connect with a design, it is important to bring it closer to nature. Over the past 20 years Alain has played a pivotal role in influencing the Ethnicraft designs we know and love today.

[Assembly Instructions](#)[Care Instructions - Varnished Wood](#)[Line Drawing](#)

Finishing

Whole Surface

Type **Water-based varnish**

Color **Natural**

Dimensions

General Dimensions


Width (in) **27.5**

Depth (in) **4**

Height (in) **8.5**

Net weight (lbs) **1.55**

Collection	Polished Imperfect
Category	Wall Decor / Coat Hangers
Environment	Indoor
Intrastat code	4421100000
Material type	Sycamore
Origin	Indonesia
Wood species	Acer pseudoplatanus



Packaging

Packaging General		Packaging Material Details				
Packaging with outer crate	No	Material	Weight (gram)	Percentage	Recycled	Recyclable
Packaging with inner pallet	No	CARTON/PAPER	2,600	100%	No	Yes
Carton box density (burst strength)	275 lbs per square inch					

Packaging Details				
	Pack length (in)	32.09	Vol (ft3)	2.08
	Pack width (in)	14.57	GW (lbs)	6.83
	Pack thickness (in)	7.68	EAN	5404023627780

Test, Label and Certificates

Strength, Durability, and Stability	Safety and Health Regulation	Eco Labels
Are tested according to <ul style="list-style-type: none">- Tipping and load capacity inhouse tested- ISTA 3A inhouse tested	Water-based varnish <ul style="list-style-type: none">- PFAS Free- Prop 65- REACH SVHC- UNI EN 71-3 : 2019	Wood Legality Certified SVLK

AGEC

Attribute	Value
Incorporation of recyclable materials	≥ 95%

Functionality

Attribute	Value
Maximum load	19.85 lbs

Other

Attribute	Value
Construction	No assembly required