

## Coordinates Suspension 1

Designed by Michael Anastassiades, 2020




37W - 1920lm - 2700K - CRI> 95

Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. This collection of standard chandeliers of pared-down configurations that can be used in any setting. Each suspended element is powered and supported by an invisible electrical and mechanical connection designed specifically to allow for the composition of the four hanging models (S1, S2, S3, S4). The S Module is also available to create semi-custom designs for large-scale installations. Behind the design: This design evolved from a commission for the feature lighting of the main dining area of the historic Four Seasons restaurant in New York City. The restaurant relocated and opened in 2018 with the interiors designed by S&tilde;o Paolo-based architect Isay Weinfeld.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	37
System flux (lm)	1920

### Physical

Color	Anodized Champagne
Length (in)	30.71
Cord color	Black
Cord length (in)	94.488
Canopy color	Anodized Champagne
Canopy length/diameter (in)	5.866
Canopy height (in)	2.795
Net weight (lb)	4.63
Package volume (in)	1365.11
IP internal	20

### Download

Mounting instructions [↓ PDF](#)

### Photometric Files

ULD [↓ ZIP](#)

### Technical Drawings

3D [↓ ZIP](#)



## Photometric


Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700
CRI>	95
Extreme cut off	No

## Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmable 0-10V, Dimmable Push, Dimmable 1-10V, Dimmable DALI 1
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only)  
light source by a  
professional



Replaceable control  
gear by a professional

Spare Parts



01.	Power supply kit for Arrangements small & Noctambule	RF0410500
02.	Led dimmer kit	RF35452
03.	Assembly Rose for Coordinates S Anodized Champagne	RF1872144
05.	Rod Assembly L780 H-06 Agent	RF31373
06.	Coordinates Suspension 3 Rod Assembly L780 SH-03 Anodized Champagne	RF31372



RF0410500

Power supply kit for  
Arrangements small &  
Noctambule



RF35452

Led dimmer kit



RF1872144

Assembly Rose for Coordinates S  
Anodized Champagne



RF31373

Rod Assembly L780 H-06 Agent



RF31372

Coordinates Suspension 3 Rod  
Assembly L780 SH-03 Anodized  
Champagne