

Twiggy, floor design Marc Sadler 2006

FOSCARINI



The elastic and coloured graphic appeal of Twiggy is an unmistakable sign in space, an exemplary marriage between the designer's eclectic creativity and Foscarini's research in the field of materials and technologies. Suspended on a detachable rod made of composite material, flexible like a fishing rod, heightadjustable using a system of counterweights, Twiggy is a simple and genius idea, which has become an Foscarini icon and awarded outstanding success among both the public and the critics. The diffuser guarantees direct lighting in the area underneath

the lamp and - thanks to the transparency of the upper protection disk - diffuses a cosy ambient light. This lighting emotion is also vouched by Led version - affording high energy efficiency levels and durability - completely re-engineered in terms of lighting technology especially to ensure the same intensity, diffusion and temperature as the light produced by the original version.

Twiggy, floor technical info

FOSCARINI

Description


Floor lamp with direct and indirect light. Diffuser and rod made of fibreglass-based composite material and liquid coated. Translucent polycarbonate upper diffuser disc, PMMA lower diffuser disc with polyprismatic internal surface. Epoxy powder coated metal round base. Supplied with 4 counter-weights to be inserted in the purpose-provided seat above the diffuser to adjust its height. For LED version the circuit boards were purpose-designed by Foscarini, to achieve a superior level of color rendering (CRI) and retaining the same colour temperature as a halogen light source (Kelvin). The two LED circuit boards are installed on an aluminium disc that acts as a dissipator, and the upper board is protected by a small PMMA disc. Additional arc-extending rods available upon request; the black cable is fitted with a dimmer which can be used both to adjust the level of luminous intensity gradually or as the ON/OFF switch.

Materials compound material on lacquered glass fibre base, PMMA, polycarbonate, varnished metal and aluminium (LED)

Colors white, black, crimson, greige, indigo




Brightness light
direct / indirect light




[2D/3D drawings](#)
[photometric info](#)
[assembly instructions](#)

[download area](#)

Model



Twiggy LED



Weight
net lbs: 23,84
gross lbs: 32,18

Packaging
vol. cub. ft.: 6,216
n. boxes: 3

Weight
net lbs: 37,70
gross lbs: 48,06


Packaging
vol. cub. ft.: 5,580
n. boxes: 3

Bulbs
incandescent 3x100W E26



with dimmer included (minimum total bulb output 60W)*

Cable length



Certifications



Energy Class

Bulbs

LED included 35W 3000°K 3062 lm CRI > 90 88 lm/W

with dimmer included

Certifications



Energy Class

A+



Twiggy, floor designer+collection

FOSCARINI

Marc Sadler

A designer, he's worked a long time in the sports sector, where he's experimented with new materials and innovative production processes. Has also worked successfully in furnishing and consumer products. In 2001 he has won Compasso D'Oro with Mite and Tite of Foscarini.



Watch the video Twiggy



Go to concept site for Twiggy
www.foscarini.com/twiggy

Twiggy Collection



table



floor



suspension



ceiling