

MANGAS SPACE


Design by Patricia Urquiola

SPACES COLLECTION


Módulos Plait. Plait Modules



Técnico. Technical



97 cm
38"



124 cm
49"

64h cm
25" h

39 Kg / 86 lbs

0,96 m³ / 33.89 ft³

Composición de fibras: 100% lana. Fibre composition: 100% wool

Relleno: Gomaespuma con base de madera. Filling: Foam rubber with wood base

Opción relleno BS 5852. Filling BS 5852 option

Resistencia al fuego: BS 5852 0/1 - CAL 117. Flame resistance BS 5852 0/1 - CAL 117

Colores disponibles. Available colours



Yellow



Coral

MANGAS SPACE


Design by Patricia Urquiola

SPACES COLLECTION


Módulos Rhombus. Rhombus Modules



Técnico. Technical



97 cm
38"



124 cm
49"

64h cm
25" h

39 Kg / 86 lbs

0,96 m³ / 33.89 ft³

Composición de fibras: 100% lana. Fibre composition: 100% wool

Relleno: Gomaespuma con base de madera. Filling: Foam rubber with wood base

Opción relleno BS 5852. Filling BS 5852 option

Resistencia al fuego: BS 5852 0/1 - CAL 117. Flame resistance BS 5852 0/1 - CAL 117

Colores disponibles. Available colours



Pink



Ivory

MANGAS SPACE

Design by Patricia Urquiola

SPACES COLLECTION

Pufs cuadrados. Square poufs



Técnico. Technical



42h cm
17" h

97 cm
38"

23 Kg / 50.7 lbs

0,45 m³ / 15.81 ft³

Composición de fibras: 100% lana. Fibre composition: 100% wool

Relleno: Gomaespuma con base de madera. Filling: Foam rubber with wood base

Opción relleno BS 5852. Filling BS 5852 option

Resistencia al fuego: BS 5852 0/1 - CAL 117. Flame resistance BS 5852 0/1 - CAL 117

Colores disponibles. Available colours



Yellow



Coral



Pink



Ivory

MANGAS SPACE

Design by Patricia Urquiola

SPACES COLLECTION

Puf rectangular. Rectangular pouf



Técnico. Technical



97 cm
38"



124 cm
49"

42h cm
17" h

📦 28,5 Kg / 62.7 lbs

📦 0,5 m³ / 17.65 ft³

Composición de fibras: 100% lana. Fibre composition: 100% wool

Relleno: Gomaespuma con base de madera. Filling: Foam rubber with wood base

Opción relleno BS 5852. Filling BS 5852 option

Resistencia al fuego: BS 5852 0/1 - CAL 117. Flame resistance BS 5852 0/1 - CAL 117

Colores disponibles. Available colours



Ivory