

KUZCO LIGHTING

LUMINAIRE PHOTOMETRIC REPORT

Filename: WS14923-BK - Chute

Manufacturer: Kuzco Lighting

Luminaire: CHUTE / WALL MOUNT

Luminaire Cat: WS14923-BK

Lamp: LED/ w DRIVER

Lamp Cat: UNKNOWN

Ballast Desc: IN: 100-130VAC, 0.13A; OUT: 31-44VDC, 300mA (const), 12w (max)

Ballast Cat: HUEUC DR-CC-12

Lamp Output: Total luminaire Lumens: 641.9

Max Candela: 177.0 at Horizontal: 2.5°, Vertical: 90°

Input Wattage: 12

Luminous Opening: Rectangle (L: 22.83", W: 22.83")

Test: 1308-19

Test Date: 15 March 2019


Test Lab: Kuzco Lighting

Photometry : Type C

CIE Class: General Diffuse

Cutoff Class: Noncutoff

Nema Type: 7 X 6





Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	40.3	6.3%
0-40	70.0	10.9%
0-60	150.3	23.4%
60-90	161.6	25.2%
70-100	170.2	26.5%
90-120	166.5	25.9%
0-90	311.8	48.6%
90-180	330.0	51.4%
0-180	641.9	100%

Lumens Per Zone

Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	4.6	0.7%	90-100	58.2	9.1%
10-20	13.7	2.1%	100-110	56.2	8.8%
20-30	22.0	3.4%	110-120	52.1	8.1%
30-40	29.7	4.6%	120-130	46.4	7.2%
40-50	36.8	5.7%	130-140	39.9	6.2%
50-60	43.5	6.8%	140-150	32.6	5.1%
60-70	49.6	7.7%	150-160	24.4	3.8%
70-80	54.5	8.5%	160-170	15.2	2.4%
80-90	57.5	9.0%	170-180	5.2	0.8%



Reported data calculated from manufacturer's data file, based on IES recommended methods.