

KUZCO LIGHTING

LUMINAIRE PHOTOMETRIC REPORT

Filename: WS14923-WH - Chute

Manufacturer: Kuzco Lighting

Luminaire: CHUTE / WALL MOUNT

Luminaire Cat: WS14923-WH

Lamp: LED/ w DRIVER

Lamp Cat: UNKNOWN

Ballast Desc: IN: 100-130VAC, 0.13A; OUT: 31-44VDC, 300mA (const), 12w (max)

Ballast Cat: HUEUC DR-CC-12

Lamp Output: Total luminaire Lumens: 784.8

Max Candela: 216.4 at Horizontal: 2.5°, Vertical: 90°

Input Wattage: 12

Luminous Opening: Rectangle (L: 22.83", W: 22.83")

Test: 1308-19

Test Date: 15 March 2019


Test Lab: Kuzco Lighting

Photometry : Type C

CIE Class: General Diffuse

Cutoff Class: Noncutoff

Nema Type: 7 X 6





Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	49.2	6.3%
0-40	85.5	10.9%
0-60	183.7	23.4%
60-90	197.5	25.2%
70-100	208.1	26.5%
90-120	203.6	25.9%
0-90	381.3	48.6%
90-180	403.6	51.4%
0-180	784.8	100%

Lumens Per Zone

Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	5.7	0.7%	90-100	71.2	9.1%
10-20	16.7	2.1%	100-110	68.7	8.8%
20-30	26.9	3.4%	110-120	63.7	8.1%
30-40	36.3	4.6%	120-130	56.7	7.2%
40-50	45.0	5.7%	130-140	48.7	6.2%
50-60	53.2	6.8%	140-150	39.9	5.1%
60-70	60.6	7.7%	150-160	29.8	3.8%
70-80	66.6	8.5%	160-170	18.6	2.4%
80-90	70.3	9.0%	170-180	6.3	0.8%



Reported data calculated from manufacturer's data file, based on IES recommended methods.