




Altostratus 2




APPEARANCE

Materials	Textile, toasted oak, brass
Suspension*	1/8" cable + cord, 8' standard
Finishes	See Material Options page
Customize	Textiles, Frame sizing

TECHNICAL

Socket / Lamp	E26/ E27 base, G16.5/ A15 bulb
Watt / Volt	Recommended up to 25w; up to 300v
Lamp detail	variable, 1200 lumens, 2700 kelvin, 50000 hours
Dimmer	ELV or 0-10V
Certification	UL certified
Weight	7 lbs.

Altostratus 2



REC. USE / SPACES

Ambient/accent lighting
Dining table
Living room
Stairwell
Entrance
Lobby

PREPARE FOR INSTALL

This is a line voltage fixture compatible with all dimming types. Direct wire to suitable supply lines.

A single junction box is required located according to installation instructions.

Three additional non-powered suspension mount points are also required. Ensure points are available with adequate blocking or suitable anchors (not included).



BULB

Included

E26/ E27 socket
with A15 bulb
up to 300v
12 Watts



COLOR TEMP

2700K



LUMENS SCALE

1200lm
*this is a diffused
fixture with a soft
warm ambient glow




DIMMING

ELV or 0-10V

OTHER NOTES

Electronic wall
dimmer required

Altostratus 2



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE & CANOPY



Brushed
Brass

TEXTILES



Asami



Twinx