

AJ MINI TABLE

Designed by Arne Jacobsen



Description The fixture emits downward directed light. The angle of the shade can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.

Variants	VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
	5744907273	WHT, 024	9.7 / 17.2 / 7.2 IN / 3.0 LB
	5744907286	BLACK, 314	9.7 / 17.2 / 7.2 IN / 3.0 LB
	5744907367	PALE PETROLEUM, 447	9.7 / 17.2 / 7.2 IN / 3.0 LB
	5744911272	ELECTRIC ORANGE	- / - / - IN / 3.0 LB
	5744911285	SOFT LEMON	- / - / - IN / 3.0 LB
	5744911298	WARM SAND	- / - / - IN / 3.0 LB
	5744911308	DUSTY BLUE	- / - / - IN / 3.0 LB
	5744911311	WARM GREY	- / - / - IN / 3.0 LB
	5744915663	STAINL STEEL POLISH, 957	9.7 / 17.2 / 7.2 IN / 3.4 LB

Materials & Finishes **MATERIALS**
Shade: Spun steel or stainless steel. Base: Die cast zinc or stainless steel. Stem: Steel or stainless steel.

FINISHES


Stainless Steel, polished. White, Black, Aubergine, Dark Green, Dark Grey, Light Grey, Midnight Blue, Original Grey, Pale Petroleum, Pale Rose, Rusty Red, Ultra Blue, Yellow Ochre, wet painted.

Mounting Cable type: Plastic cord with plug. Cable length: 7 ft. Light control: Switch on lamp stand. For mounting instructions, see download section on the product detail page.


Information The white version is supplied with a white cable. The other versions are supplied with a black cable. For the E-socket product variants, bulbs are not included. LED light source is part of the product.

Light distribution diagrams


CARTESIAN



ISOLUX



POLAR



Variant Options For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
5744907273	E12		308	-	Wht
5744907286	E12		308	-	Blk
5744907367	E12		308	-	Blk
5744911272	E12			-	Wht
5744911285	E12			-	Wht
5744911298	E12			-	Wht
5744911308	E12			-	Blk
5744911311	E12			-	Blk
5744915663	G16.5/candelabra		308	-	Blk

