



TR Bulb



These instructions are provided for your safety. It is important that the instructions are read carefully and completely before assembling.

This A/I cover below items:

- 1 Piece TR Bulb, E26
- 1 Piece TR Table/Wall Lamp, Low, 2 m Textile cord w. dimmer, E26
- 1 Piece TR Pendant, High, 3 m Textile cord, E26
- 1 Piece TR Ceiling/Wall, E26
- 1 Piece Suspension Lamp, 4 x E26 – 5 m Textile cord
- 1 Piece TR Table Lamp, High, 2 m Textile cord w. dimmer, E26

Technical details (TR Bulb):

- Plug: UL certified plug
- Cord: UL textile cord
- Lightsource details: LED PC board.
- Watt: 6W
- Lumen output: 70 Lm/W
- Color temperature: 2700 K
- CRI: > 80

Technical details (TR Bulb, Dim to Warm):

- Plug: UL certified plug
- Cord: UL textile cord
- Lightsource details: LED PC board.
- Watt: 6W
- Lumen output: 70 Lm/W
- Color temperature: 1800-2700 K
- CRI: > 80 - > 90

The Lamp Range is tested according to

- Table lamp: EN 60598-2-4,
- Ceiling/Pendant lamp: EN 60598-2-1
- Bulb: EN 62560
- EMC: EN 55015, EN 61547, EN 61000-3-2, EN 61000-3-3
- The lamp conforms to IP20.
- All components are UL certified.

Compatible dimmer types

Lutron MACL-153M

Lutron DVCL-153P

Lutron TT300H

LEVITON, Tabletop dimmer. TBL0

Care Instructions

To clean simply wipe with a soft dry cloth. Turn off power before cleaning. Do not use any cleaners with chemicals, solvents, or harsh abrasives.

BE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF;
EITHER THE FUSE IS REMOVED OR THE CIRCUIT BREAKER IS TURNED OFF.

Please check the specific rules for electrical installation work in your country. Some countries may require an authorised electrical contractor.

Important

If you have any problems regarding the electrical installation, contact a certified electrician. Always shut off power to the circuit before starting installation work. The external flexible cable or cord of this luminaire cannot be replaced. If the cord is damaged. If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.

WARNINGS


Dispose of plastic bag from packaging and do not allow children to play with it.

- Keep product well out of children's reach.
- Do not attempt installation of product if you are not competent to do so yourself.
- Consult a professionally qualified electrician if in any doubt.
- Do not place the cable in reach of small children or anywhere there is a risk of falling over it.

Disposal

When your light fitting comes to an end of its life or you choose to update or upgrade it by replacing it. Please do not dispose of it with your normal household waste.

Please recycle where facilities exist. When you need to dispose of this fitting, check with your retailer or local authority for suitable options.



THIS DEVICE IS NOT INTENDED FOR USE WITH EMERGENCY EXITS

NE CONVIENT PAS AUX SORTIES DE SECOURS

ADDED WEIGHT OF THE DEVICE MAY CAUSE INSTABILITY OF A FREE STANDING PORTABLE LUMINAIRE

LE DISPOSITIF CONSTITUE UN POIDS SUPPLÉMENTAIRE CE QUI PEUT CAUSER L'INSTABILITÉ D'UN LUMINAIRE PORTATIF AUTONOME

USE IN PORTABLE TABLE LAMPS IN WHICH THE DISTANCE FROM THE BOTTOM OF THE BASE TO THE TOP OF THE LAMPHOLDER DOES NOT EXCEED THREE (3) TIMES THE MINIMUM BASE DIAMETER

UTILISER AVEC UNE LAMPE DE TABLE POUR LAQUELLE LA DISTANCE ENTRE LA PARTIE INFÉRIEURE DU SOCLE ET LA PARTIE SUPÉRIEURE DE LA DOUILLE DE LAMPE N'EST PAS SUPÉRIEURE À 3 FOIS LE DIAMÈTRE MINIMAL DU SOCLE

USE ONLY WITH A PORTABLE TABLE LAMP THAT IS PROVIDED WITH A SHADE

UTILISER UNIQUEMENT AVEC UNE LAMPE DE TABLE DOTÉE D'UN ABAT-JOUR

CAUTION – RISK OF ELECTRIC SHOCK. DO NOT USE IF OUTER LAMP ENVELOPE IS DAMAGED OR BROKEN.

ATTENTION - RISQUE DE CHOC ÉLECTRIQUE. NE PAS UTILISER SI EXTÉRIEUR AMPOULE ENVELOPPE EST ENDOMMAGÉ OU CASSÉ.

THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.

CE PRODUIT DOIT ÊTRE INSTALLÉ SELON LE CODE D'INSTALLATION PERTINENT, PAR UNE PERSONNE QUI CONNAÎT BIEN LE PRODUIT ET SON FONCTIONNEMENT AINSI QUE LES RISQUES INHÉRENTS.

IMPORTANT SAFETY INSTRUCTIONS -


This portable luminaire has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not alter the plug."

INSTRUCTIONS IMPORTANTES DE SÉCURITÉ -


Ce luminaire portable a une fiche polarisée (une lame est plus large que l'autre) comme une caractéristique pour réduire le risque de choc électrique insérer ce insérer cette fiche dans une prise polarisée à sens unique Si la fiche ne correspond pas. complètement dans la prise, inverser la fiche. Si elle ne rentre toujours pas, contactez un électricien qualifié. ne jamais utiliser avec une rallonge à moins que la fiche peut être insérée à fond. ne pas modifier la fiche."

NOTE

Dear Customer, please note that when you screw in this large light bulb, the momentum (force) is larger than on smaller bulbs due to its larger diameter; therefore please be careful when screwing it in so as to avoid over-screwing thereby destroying the socket thread.



TR Bulb, Table / Wall Lamp



Wall Mounted






Table Lamp

Wall Mounted


1




2




3




4



5



6



7






Table Lamp


1




2



TR Bulb, Ceiling / Wall Lamp




Wall Mounted




Ceiling Lamp


1




2




3




4




5




6




7




TR Bulb, Pendant Lamp




1




2




3




4




5




6




TR Bulb, Suspension Frame




1




2




3




4




5




6




7




8




9




10



TR Bulb, Table Lamp



1



2

