

WS-W28410

Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Boxie

WS-W28410

PRODUCT DESCRIPTION

LED illumination spills from behind three-dimensional geometric forms in a strategic play of light and dark.

FEATURES

- Driver concealed within the canopy
- Ambient and backlit illumination
- Complementary two-tone finish


SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,ADA,Wet Location Listed
Input	120/277V,50/60Hz
Dimming	ELV: 100-5%,TRIAC: 100-5%
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Extruded aluminum frame with silk screened glass and PC diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W28410 10"	3000K	BK/BN Black/Brushed Nickel	14.4W	547	383

Example: **WS-W28410-BK/BN**

For custom requests please contact customs@modernforms.com



WS-W28422

Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Boxie

WS-W28422

PRODUCT DESCRIPTION

LED illumination spills from behind three-dimensional geometric forms in a strategic play of light and dark.

FEATURES

- Driver concealed within the canopy
- Ambient and backlit illumination
- Complementary two-tone finish


SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,ADA,Wet Location Listed
Input	120/277V,50/60Hz
Dimming	ELV: 100-5%,TRIAC: 100-5%
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Extruded aluminum frame with silk screened glass and PC diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W28422 22"	3000K	BK/BN Black/Brushed Nickel	19.3W	1027	720

Example: **WS-W28422-BK/BN**

For custom requests please contact customs@modernforms.com



WS-W28434

Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Boxie

WS-W28434

PRODUCT DESCRIPTION

LED illumination spills from behind three-dimensional geometric forms in a strategic play of light and dark.

FEATURES

- Driver concealed within the canopy
- Ambient and backlit illumination
- Complementary two-tone finish

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,ADA,Wet Location Listed
Input	120/277V,50/60Hz
Dimming	ELV: 100-5%,TRIAC: 100-5%
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Extruded aluminum frame with silk screened glass and PC diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W28434 34"	3000K	BK/BN Black/Brushed Nickel	26.5W	1244	972

Example: **WS-W28434-BK/BN**

For custom requests please contact customs@modernforms.com