

PD-44413S


Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Kilt

PD-44413S

**PRODUCT DESCRIPTION**

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughout a home or business.

**FEATURES**

- Driver concealed within the canopy
- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 125 lbs., and 200 lbs. respectfully, or supported independently of the outlet box



**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	2700K/3000K/3500K/4000K
<b>CRI</b>	90
<b>Construction</b>	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-44413S 20" - 13 Lights	2700K/3000K/	102.7W	6006	AB Aged Brass
	90	102.7W	6006	BK Black
	2700K/3000K/			
	90			

Example: **PD-44413S-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-44425S

Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Kilt

PD-44425S

**PRODUCT DESCRIPTION**

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughout a home or business.

**FEATURES**

- Driver concealed within the canopy
- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 125 lbs., and 200 lbs. respectfully, or supported independently of the outlet box


**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	2700K/3000K/3500K/4000K
<b>CRI</b>	90
<b>Construction</b>	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-44425S 28" - 25 Lights	2700K/3000K/	198.5W	10542	AB Aged Brass
	90	198.5W	10542	BK Black
	2700K/3000K/			
	90			

Example: **PD-44425S-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-44441S

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Kilt

PD-44441S

**PRODUCT DESCRIPTION**

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughout a home or business.

**FEATURES**

- Driver concealed within the canopy
- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 125 lbs., and 200 lbs. respectfully, or supported independently of the outlet box

**SPECIFICATIONS**

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-44441S 36" - 41 Lights	2700K/3000K/	325.4W	18018	AB Aged Brass
	90	325.4W	18018	BK Black
	2700K/3000K/			
	90			

Example: **PD-44441S-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)