

PD-44403R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Kilt

PD-44403R

PRODUCT DESCRIPTION

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughouta home or business.

FEATURES

- Driver concealed within the canopy
- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-44403R 12" - 3 Lights	❍ 2700K/3000K/ 90 ❍ 2700K/3000K/ 90	23.3W 23.3W	1525 1525	❍ AB Aged Brass ❍ BK Black

Example: **PD-44403R-BK**

For custom requests please contact customs@modernforms.com



PD-44405R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Kilt

PD-44405R

PRODUCT DESCRIPTION

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughouta home or business.

FEATURES

- Driver concealed within the canopy
- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-44405R 17" - 5 Lights	❍ 2700K/3000K/ 90 ❍ 2700K/3000K/ 90	38.7W 38.7W	2173 2173	❍ AB Aged Brass ❍ BK Black

Example: **PD-44405R-BK**

For custom requests please contact customs@modernforms.com



PD-44409R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Kilt

PD-44409R

PRODUCT DESCRIPTION

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughouta home or business.

FEATURES

- Driver concealed within the canopy
- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-44409R 17" - 9 Lights	❍ 2700K/3000K/ 90 ❍ 2700K/3000K/ 90	70.1W 70.1W	4024 4024	❍ AB Aged Brass ❍ BK Black

Example: **PD-44409R-BK**

For custom requests please contact customs@modernforms.com



PD-44415R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Kilt

PD-44415R

PRODUCT DESCRIPTION

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughouta home or business.

FEATURES

• Driver concealed within the canopy
• Artisan crafted hazy cloud acrylic
• Each unique piece lends itself to variations in milkiness
• Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
• Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
• NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
• This fixture in the 15 and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs. and 100 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-44415R 23" - 15 Lights	❍ 2700K/3000K/ 90 ❍ 2700K/3000K/ 90	118.4W 118.4W	6439 6439	❍ AB Aged Brass ❍ BK Black

Example: **PD-44415R-BK**

For custom requests please contact customs@modernforms.com



PD-44421R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Kilt

PD-44421R

PRODUCT DESCRIPTION

Hazy acrylic cones combine with crisp metal skirts on these pendants, which are installed on one canopy, creating an artful statement and delivering ample lighting to spaces throughouta home or business.

FEATURES

- Driver concealed within the canopy
- Artisan crafted hazy cloud acrylic
- Each unique piece lends itself to variations in milkiness
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 15 and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs. and 100 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Bent metal frame with decorative acrylic shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-44421R 26" - 21 Lights	❍ 2700K/3000K/ 90 ❍ 2700K/3000K/ 90	166.7W 166.7W	9060 9060	❍ AB Aged Brass ❍ BK Black

Example: **PD-44421R-BK**

For custom requests please contact customs@modernforms.com