




BRUSSELS Pendant

MLP395PCBLK Black



MATERIAL Aluminium | Steel

HEIGHT 65cm | 25.59"

WIDTH | DIAMETER 75cm | 29.53"

LENGTH | PROJECTION n/a

WEIGHT 6KG | 13.23lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 60W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 20

CLASS PROTECTION I



SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA037 | 3 Core Round | Black | PVC

Fixing Bracket MLROSE15 | Black

*For UL wired lights, fixing bracket may differ



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



BRUSSELS Pendant



MLP395PCBRZ Bronze



MATERIAL	Aluminium Steel
HEIGHT	65cm 25.59"
WIDTH DIAMETER	75cm 29.53"
LENGTH PROJECTION	n/a
WEIGHT	6KG 13.23lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA036 3 Core Round Brown PVC

Fixing Bracket MLROSE15 | Antique Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



BRUSSELS Pendant

MLP395PCGRN Sage Green



MATERIAL Aluminium | Steel

HEIGHT 65cm | 25.59"

WIDTH | DIAMETER 75cm | 29.53"

LENGTH | PROJECTION n/a

WEIGHT 6KG | 13.23lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 60W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 20

CLASS PROTECTION I



SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA037 | 3 Core Round | Black | PVC

Fixing Bracket MLROSE15 | Sage Green

*For UL wired lights, fixing bracket may differ



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



BRUSSELS Pendant



MLP395PCGRY Grey



MATERIAL	Aluminium Steel
HEIGHT	65cm 25.59"
WIDTH DIAMETER	75cm 29.53"
LENGTH PROJECTION	n/a
WEIGHT	6KG 13.23lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA037 3 Core Round Black PVC

Fixing Bracket MLROSE15 | Grey

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

BRUSSELS Pendant

MLP395PCMBK Matt Black



MATERIAL Aluminium | Steel

HEIGHT 65cm | 25.59"

WIDTH | DIAMETER 75cm | 29.53"

LENGTH | PROJECTION n/a

WEIGHT 6KG | 13.23lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 60W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 20

CLASS PROTECTION I



SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA037 | 3 Core Round | Black | PVC

Fixing Bracket MLROSE15 | Matt Black

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

BRUSSELS Pendant

MLP395PCORG Orange



MATERIAL Aluminium | Steel

HEIGHT 65cm | 25.59"

WIDTH | DIAMETER 75cm | 29.53"

LENGTH | PROJECTION n/a

WEIGHT 6KG | 13.23lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 60W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 20

CLASS PROTECTION I



SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA037 | 3 Core Round | Black | PVC

Fixing Bracket MLROSE15 | Orange

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

BRUSSELS Pendant



MLP395PCRED Red



MATERIAL	Aluminium Steel
HEIGHT	65cm 25.59"
WIDTH DIAMETER	75cm 29.53"
LENGTH PROJECTION	n/a
WEIGHT	6KG 13.23lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA037 3 Core Round Black PVC

Fixing Bracket MLROSE15 | Red

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

BRUSSELS Pendant



MLP395PCRGR Racing Green



MATERIAL	Aluminium Steel
HEIGHT	65cm 25.59"
WIDTH DIAMETER	75cm 29.53"
LENGTH PROJECTION	n/a
WEIGHT	6KG 13.23lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA037 3 Core Round Black PVC

Fixing Bracket MLROSE15 | Racing Green

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



BRUSSELS Pendant

MLP395PCWTE White



MATERIAL Aluminium | Steel

HEIGHT 65cm | 25.59"

WIDTH | DIAMETER 75cm | 29.53"

LENGTH | PROJECTION n/a

WEIGHT 6KG | 13.23lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 60W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 20

CLASS PROTECTION I



SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA037 | 3 Core Round | Black | PVC

Fixing Bracket MLROSE15 | White

*For UL wired lights, fixing bracket may differ



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



BRUSSELS Pendant

MLP395PCYLW Yellow



MATERIAL Aluminium | Steel

HEIGHT 65cm | 25.59"

WIDTH | DIAMETER 75cm | 29.53"

LENGTH | PROJECTION n/a

WEIGHT 6KG | 13.23lbs

LAMPHOLDER E27 or E26

MAX WATTAGE 60W x 1

VOLTAGE 220/240v or 110/120v

IP RATING 20

CLASS PROTECTION I



SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA037 | 3 Core Round | Black | PVC

Fixing Bracket MLROSE15 | Yellow

*For UL wired lights, fixing bracket may differ



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.