



LED - Ginger

Joan Gaspar

marset

The Ginger collection has moved outdoors, with a series of wall sconces, including a new 15 cm sconce – perfect for passageways and small outdoor areas—a lamppost, and small bollard lamps. The collection features new floor

lamps, raised by means of a post that can be buried in dirt or gravel, perfect for illuminating pathways, gardens, terraces, and walls, and blending nicely with vegetation.



LED - Ginger B32/65

Code	Finish
A662-760-31-27K	● Rust brown - White
A662-760-39-27K	● Black-White (RAL 9005-9010)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Materials
Diffuser: Aluminum
Structure: Stainless steel

Cable length: 8.5 ft


Suitable for wet locations

LED included



Electrical
Electrical Rating: 24Vdc 10W
Luminaire: 350lm
CCT: 27K
CRI: 90

Product notes: 24V remote power supply to be ordered separately.



LED - Ginger B32/88

Code
A662-761-31-27K
A662-761-39-27K

Finish
● Rust brown - White
● Black-White (RAL 9005-9010)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Materials
Diffuser: Aluminium
Dissipater: Stainless steel

Cable length: 7.6 ft.


Suitable for wet locations

LED included



Electrical
Electrical Rating: 24Vdc 10W
Luminaire: 350lm
CCT: 27K
CRI: 90

Product notes: 24V remote power supply to be ordered separately.



LED - Ginger B32/111

Code
A662-762-31-27K
A662-762-39-27K

Finish
● Rust brown - White
● Black-White (RAL 9005-9010)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Materials
Diffuser: Aluminium
Dissipater: Stainless steel

Cable length: 6.9 ft.


Suitable for wet locations

LED included



Electrical
Electrical Rating: 24Vdc 10W
Luminaire: 350lm
CCT: 27K
CRI: 90


Product notes: 24V remote power supply to be ordered separately. Dimming protocols: 0-10V



Post Accessory

Code A662-555 Finish ● Stainless steel


Materials
Structure: Stainless steel 316 L



Ground fixation plate

Code A662-556 Finish ● Stainless steel

Materials
Structure: Stainless steel 316 L



Power supply - Dimmable

Code	Description	Dimming	Class	Electrical Rating
968-230	Power supply 60W - 24V	0-10V	2	120-277VAC Max.60W
968-233	Power supply 100W - 24V	0-10V	2	120-277VAC Max.100W

LED-Ginger: Connector accessory

Code A963-001	Description 2 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).



⚠ WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Download

marsetusa@marset.com
www.marset.com

Photometric data file (LDT or IES)
2D, 3D, Photometric Data
Assembly instructions

Collection

