

Linear System Tray

“The Linear System Series places people at its center, being a place to meet, to collaborate or to work in focused solitude. The design process was about creating a system that made for intimately welcoming atmospheres, enhanced by the expression and functionality of its lighting and accessories. With its warm materiality and modern expression, the Linear System Series brings feelings of home into larger spaces to give the user a sense of belonging, even if being there only for a little while. The extensive selection of lighting and accessories means that the Linear System Series can be configured and reshuffled for any purpose of the modern workplace as well as hospitality settings and public areas,arrying the ideas of aesthetic and function into one.”

— Thomas Bentzen

**Designed by**

Thomas Bentzen / 2020

About the designer

Thomas Bentzen, former Head of Design at Muuto, started his own studio in 2010. Bentzen's designs are characterized by simplicity, rationality and functionality — always firmly rooted in the Danish design tradition, material knowledge, craftsmanship and rational industrial manufacturing processes. His work continues to receive international recognition at fairs and exhibitions all over the world.

Environment

Indoor

Country of Production

Latvia

Preassembled

Yes - Mount to configuration.

Description

Designed as part of the Linear System Series, the Linear System Tray has an inviting look that makes its user gravitate intuitively towards it. Use the trays to create smaller spaces within the larger settings while allowing for objects to be stored on their plateau alongside the warmth of its oak that translates sentiments of home into any setting.

Kindly note that the Linear System Tray must be mounted onto the Linear System Series design.

Material

Tray 170 cm in solid oak and oak veneer. Tray Ø24 and Ø36 in solid oak. All with powder coated aluminum fixing knobs.

Cleaning & Care

Clean the tray with a damp cloth. If necessary only use a mild detergent or washing up liquid and not concentrated. Always wipe with a dry cloth afterwards. To minimize the risk of stains and marks, liquid, grease etc. should be removed straight away.

Linear System Tray

Dimensions


170 cm / 66.9"

Length: 170 cm / 66.9"
Height: 15 cm / 5.9"
Width: 21 cm / 8.3"




Ø 24 cm / 9.4"

Length: 24 cm / 9.4"
Height: 15,6 cm / 6.2"
Width: 24 cm / 9.4"



Ø 36 cm / 14.2"

Length: 36 cm / 14.2"
Height: 9,6 cm / 3.8"
Width: 36 cm / 14.2"



Ready-to-ship

Oak
Black



Tests, Labels & Certifications

Eco-Labels & Certificates

VOC — Bifma X 7.1
VOC — CDPH 01350

Strength, Durability & Stability

EN 15372-L2 & -L3 Furniture

[Explore Assets](#)

DOWNLOAD SITE

LINEAR SYSTEM SERIES—ORDER GUIDE

The Linear System Series brings a new perspective to the evolving needs of the modern workspaces, hospitality settings and educational institutions through its configurable design across tables, lighting, screens and trays alongside its custom integrated power solution, allowing one to tailor the design to the exact needs of any space.

Option A — Choose between one of our predesigned table configurations and simply add your desired lamps and accessories.

Option B — Create your own configuration from scratch and add lamps and accessories from there. Scroll down 6 pages.

Option A — Predesigned Table Configurations

STEP 1. TABLES


Select either the Linear System Table or one of three Linear System Table Configurations.

Note

Different finishes of tabletops cannot be mixed as they might vary in thickness.

Linear System Table


Height — 74 cm / 29.1"
Table top width — 142 cm / 55.9"
Total width — 146.9 cm / 57.8"
Total length — 240 cm / 94.5"
No of Persons — 4-6



240 cm / 94.5"

Linear System Table Configuration I


Height — 74 cm / 29.1"
Table top width — 142 cm / 55.9"
Total width — 146.9 cm / 57.8"
Total length — 360 cm / 141.7"
No of Persons — 6-8



240 cm / 94.5" 120 cm / 47.2"

Linear System Table Configuration 2


Height — 74 cm / 29.1"
Table top width — 142 cm / 55.9"
Total width — 146.9 cm / 57.8"
Total length — 480 cm / 189"
No of Persons — 8-12



240 cm / 94.5" 240 cm / 94.5"

Linear System Table Configuration 3

Height — 74 cm / 29.1"
Table top width — 142 cm / 55.9"
Total width — 146.9 cm / 57.8"
Total length — 720 cm / 283.5"
No of Persons — 12-18



240 cm / 94.5" 240 cm / 94.5" 240 cm / 94.5"

OPTION A

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE

STEP 2. ACCESSORIES

Trays

Add your desired number of Linear System Trays.

Note

Trays must be mounted at least 5 cm / 2" from the table edge.

Linear System Tray — Ø24 cm / 9.5"

Height — 15,6 cm / 6.2"
Diameter — 24 cm / 9.5"




Linear System Tray — Ø36 cm / 14.2"

Height — 9,6 cm / 3.8"
Diameter — 36 cm / 14.2"



Linear System Tray — 170 cm / 66.9"

Height — 15 cm / 5.9"
Width — 21 cm / 8.3"
Length — 170 cm / 66.9"



Screens


Add your desired number of Linear System Screens.

Note

We recommend that screens are mounted to the table. They must be placed at least 5 cm / 2" from the table edge.


Linear System Screen — 75 cm / 29.5"

Height — 35 cm / 13.8"
Width — 15 cm / 5.9"
Length — 75 cm / 29.5"




Linear System Screen — 125 cm / 49.2"

Height — 35 cm / 13.8"
Width — 15 cm / 5.9"
Length — 125 cm / 49.2"



Linear System Screen — 178 cm / 70.1"


Height — 35 cm / 13.8"
Width — 15 cm / 5.9"
Length — 178 cm / 70.1"



Note

Please note that only the Linear System Screen 125 cm / 49.2" can be mounted across the table.

Example



OPTION A

1. TABLES / [2. ACCESSORIES](#) / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE

STEP 3. LIGHTING

Add your desired number of Linear Lamps.

Note

The Linear Table Lamp has one USB-C plug.

Linear Table Lamp

Height — 36,5 cm / 14,4"
Width — 23,2 cm / 9,1"
Depth — 16,5 cm / 6,5"



Note

Linear Mounted Lamp must be mounted at least 5 cm / 2" from the table edge.

Please be aware that the Linear Mounted Lamp and Table Power Outlet, both designed for the Linear System Series, have a special power solution with special plugs.

Linear Mounted Lamp — 23,2 cm / 9,1"

Height — 36,5 cm / 14,4"
Width — 23,2 cm / 9,1"
Depth — 10,7 cm / 4,2"



Linear Mounted Lamp — 209,2 cm / 82,4"

Height — 70,7 cm / 27,8"
Width — 209,2 cm / 82,4"
Depth — 10,7 cm / 4,2"



Linear Pendant Lamp — 87,2 cm / 34,3"

Height — 5,4 cm / 2,1"
Width — 87,2 cm / 34,3"
Depth — 10,7 cm / 4,2"

Coming soon



Linear Pendant Lamp — 169,2 cm / 66,6"

Height — 5,4 cm / 2,1"
Width — 169,2 cm / 66,6"
Depth — 10,7 cm / 4,2"

Coming soon



STEP 4. TABLE POWER OUTLETS


Specify your desired number of Table Power Outlets. Each Table Power Outlet has two outlets (one at each end) and one USB-A and USB-C plug to which standard plugs can be connected.

Note

Linear System Table Power Outlet must be mounted at least 5 cm / 2" from the table edge.

Linear System Table Power Outlet — US

Height — 7 cm / 2,8"
Width — 7 cm / 2,8"
Length — 18 cm / 7,1"



OPTION A

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

PRICE LIST

FOR MORE INFORMATION, VISIT MUUTO.COM

MUUTO


LINEAR SYSTEM SERIES—ORDER GUIDE

STEP 5. INTEGRATED POWER FOR MOUNTED LAMPS & TABLE POWER OUTLETS


If you'd like to add the Mounted Lamp(s) or Table Power Outlet(s), select the Table Power Kit for the Linear System Table or one of the three Power Configurations that match your selected Linear System Table Configuration.

Note
Each Distribution Block has four outlets to which up to four Linear Mounted Lamps or Linear System Table Power Outlets can be plugged in.

Distribution Block — 4-way



US cable
500 cm / 197" cable




Linear System Table




Linear System Power

Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block




Linear System Table Configuration 1




Linear System Power

Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block




Linear System Table Configuration 2




Linear System Power Configuration 2

Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block




Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block

+




Linear System Table Configuration 3





Linear System Power Configuration 3

Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block



Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block

+



OPTION A

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE



Note

The Integrated Power for Linear System Series has unique internal plugs to provide a slim and discreet look. This means that you cannot connect a standard plug to the power without using the Linear Table Power Outlet or changing the standard plug to a matching plug, being the Wieland GSTI8I3 plug.


The Linear Mounted Lamps must be connected to the integrated Power Kit.

Wieland GSTI8I3 plug


Standard plug
(US)



I. Connecting using the Wieland GSTI8I3 plug





2. Connecting using a standard plug to the Linear Table Power Outlet




LINEAR TABLE LAMP ONLY

The Linear Table Lamp can either be connected to a standard wall plug or the Table Power Outlet.



Alternatively, you can connect it to the integrated Power Kit by replacing the plug with a custom Wieland GSTI8I3 plug that is included with the lamp. Kindly refer to the Linear Table Lamp manual for instructions.

Integrated Table Power Kit (Wieland GSTI8I3 plug)



OPTION A

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY


LINEAR SYSTEM SERIES—ORDER GUIDE

STEP 6. CABLE TRAYS


We recommend using 1 Cable Tray for the End Module – 120 cm / 47.2" and up to 3 Cable Trays for the Linear Table, End Module – 240 cm / 94.2" and the Middle Module – 240 cm / 94.2".

Linear System Cable Tray


Height – 3 cm / 1.2"
Width – 22 cm / 8.7"
Depth – 60 cm / 23.7"



Example:



Linear System Table — 240 cm / 94.5"



Linear System End Module — 120 cm / 47.2"

OPTION A

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE

Option B — Create your own configuration

STEP 1. TABLES

A)

A configuration must always have End Modules in each end.

Start by defining the total length of your desired configuration, then select two table ends.

Note

Different finishes of tabletops cannot be mixed as they might vary in thickness.


Linear System End Module — 240 cm / 94.5"

Height — 74 cm / 29.1"
Width — 146,9 cm / 57.8"
Length — 240 cm / 94.5"
No of Persons — 4-6



Linear System End Module — 120 cm / 47.2"

Height — 74 cm / 29.1"
Width — 146,9 cm / 57.8"
Length — 120 cm / 47.2"
No of Persons — 2



B)

Next, add the second, and final, End Module or your desired number of Middle Modules, only available in 240 cm / 94.5".

Note

Please note that it is not possible to connect more than two End Modules.

C)

Next, you must order 1 set of Connecting Legs every time two modules are connected.

If you'd like a configuration of one

End Module — 240 cm / 94.5" and one

Middle Module — 240 cm / 94.5" and one

End Module — 240 cm / 94.5", you must order two sets of Connecting Legs, as shown in the illustration.


Linear System Middle Module — 240 cm / 94.5"

Width — 146,9 cm / 57.8"
Length — 240 cm / 94.5"
No of Persons — 4-6




Linear System Connecting Legs

Height — 74 cm / 29.1"



Example



OPTION B

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE

STEP 2. ACCESSORIES

Trays

Add your desired number of Linear System Trays.

Note

Trays must be mounted at least 5 cm / 2" from the table edge.

Linear System Tray — Ø24 cm / 9.5"

Height — 15,6 cm / 6.2"
Diameter — 24 cm / 9.5"




Linear System Tray — Ø36 cm / 14.2"

Height — 9,6 cm / 3.8"
Diameter — 36 cm / 14.2"



Linear System Tray — 170 cm / 66.9"

Height — 15 cm / 5.9"
Width — 21 cm / 8.3"
Length — 170 cm / 66.9"



Screens


Add your desired number of Linear System Screens.

Note

We recommend that screens are mounted to the table. They must be placed at least 5 cm / 2" from the table edge.


Linear System Screen — 75 cm / 29.5"

Height — 35 cm / 13.8"
Width — 15 cm / 5.9"
Length — 75 cm / 29.5"




Linear System Screen — 125 cm / 49.2"

Height — 35 cm / 13.8"
Width — 15 cm / 5.9"
Length — 125 cm / 49.2"



Linear System Screen — 178 cm / 70.1"


Height — 35 cm / 13.8"
Width — 15 cm / 5.9"
Length — 178 cm / 70.1"



Note

Please note that only the Linear System Screen 125 cm / 49.2" can be mounted across the table.

Example



OPTION B

1. TABLES / [2. ACCESSORIES](#) / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE

STEP 3. LIGHTING

Add your desired number of Linear Lamps.

Note

The Linear Table Lamp has one USB-C plug.

Linear Table Lamp

Height — 36,5 cm / 14,4"
Width — 23,2 cm / 9,1"
Depth — 16,5 cm / 6,5"



Note

Linear Mounted Lamp must be mounted at least 5 cm / 2" from the table edge.

Please be aware that the Linear Mounted Lamp and Table Power Outlet, both designed for the Linear System Series, have a special power solution with special plugs.

Linear Mounted Lamp — 23,2 cm / 9,1"

Height — 36,5 cm / 14,4"
Width — 23,2 cm / 9,1"
Depth — 10,7 cm / 4,2"



Linear Mounted Lamp — 209,2 cm / 82,4"

Height — 70,7 cm / 27,8"
Width — 209,2 cm / 82,4"
Depth — 10,7 cm / 4,2"



Linear Pendant Lamp — 87,2 cm / 34,3"

Coming soon

Height — 5,4 cm / 2,1"
Width — 87,2 cm / 34,3"
Depth — 10,7 cm / 4,2"



Linear Pendant Lamp — 169,2 cm / 66,6"

Coming soon

Height — 5,4 cm / 2,1"
Width — 169,2 cm / 66,6"
Depth — 10,7 cm / 4,2"



STEP 4. TABLE POWER OUTLETS


Specify your desired number of Table Power Outlets. Each Table Power Outlet has two outlets (one at each end) and one USB-A and USB-C plug to which standard plugs can be connected.

Note

Linear System Table Power Outlet must be mounted at least 5 cm / 2" from the table edge.

Linear System Table Power Outlet — US

Height — 7 cm / 2,8"
Width — 7 cm / 2,8"
Length — 18 cm / 7,1"



OPTION B

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE


STEP 5. INTEGRATED POWER FOR MOUNTED LAMPS & TABLE POWER OUTLET

If you'd like to add the Mounted Lamp(s) and/or Table Power Outlets, select the Power Kit.

If you add a End Module or a Middle Module — 240 cm / 94.5" add a Power Kit for each table added.


Power Kit (1 pcs)

500 cm / 197" cable (US)
Distribution Block




Example 1

Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block



Example 2

Power Kit (1 pcs)
500 cm / 197" cable (US)
Distribution Block




OPTION B

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

LINEAR SYSTEM SERIES—ORDER GUIDE


LINEAR TABLE LAMP ONLY

The Linear Table Lamp can either be connected to a standard wall plug or the Table Power Outlet.



Alternatively, you can connect it to the integrated Table Power Kit by replacing the plug with a custom Wieland GSTI8I3 plug that is included with the lamp. Kindly refer to the Linear Table Lamp manual for instructions.

Integrated Table Power Kit (Wieland GSTI8I3 plug)




STEP 6. CABLE TRAYS


We recommend using 1 Cable Tray for the End Module - 120 cm / 47.2" and up to 3 Cable Trays for the Linear Table, End Module - 240 cm / 94.2" and the Middle Module - 240 cm / 94.2".

Linear System Cable Tray


Height — 3 cm / 1.2"
Width — 22 cm / 8.7"
Depth — 60 cm / 23.7"



Example:



Linear System Table — 240 cm / 94.5"



Linear System End Module — 120 cm / 47.2"

OPTION B

1. TABLES / 2. ACCESSORIES / 3. LIGHTING / 4. TABLE POWER OUTLET / 5. INTEGRATED POWER / 6. CABLE TRAY

