

COLUMN 175 VERTICAL – P

PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D

MANUFACTURED IN CANADA

A-N-D.COM



VISIT [A-N-D.COM](https://www.a-n-d.com) FOR 3D MODELS INCLUDING REVIT/IES.

DESCRIPTION

The Column conveys order, symmetry and magnificence. With a commutable quality, the luminaire is able to grow and increase its commanding presence in a room to affirm its powerful structure.

TYPE

Pendant

DIMENSIONS (PER 1 UNIT)

- Luminaire: Ø 17.5 x 29.5cm / Ø 7" x 11.5"
- Adjustable drop length: 244cm / 96"
- * CUSTOM LENGTH AVAILABLE
- Weight: 3.6kg / 7.9lbs

CERTIFICATIONS




* APPLICATION: DRY INDOOR LOCATION ONLY


TECHNICAL INFORMATION

- Input Voltage: 110–120V, 220–240V, 110–277V
- Lamping: 12W 24V DC LED (PER UNIT)
CRI 90+, 50,000 hours
- Lumens: 711 lumens delivered (PER UNIT)
- Power Supply: Phase dimming, 0–10V, DALI

COLOUR TEMPERATURE OPTIONS




DIM TO WARM



MATERIALS

- Glass
- Aluminum

FINISHES



SERIES	SIZE	UNIT	TYPE	FINISH	CCT	PS	VOLTAGE IN
COL	175	<input type="checkbox"/> 1	P	<input type="checkbox"/> CBN (CARBON)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
		<input type="checkbox"/> 2		<input type="checkbox"/> IVO (IVORY)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
		<input type="checkbox"/> 3			<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277*
		<input type="checkbox"/> 4			<input type="checkbox"/> DW (DIM TO WARM)		
		<input type="checkbox"/> 5					
		<input type="checkbox"/> 6					

*277 ONLY AVAILABLE WITH 010



COLUMN 175 VERTICAL – P


PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D


MANUFACTURED IN CANADA

A-N-D.COM


COL-175-1-P-V




COL-175-2-P-V




COL-175-3-P-V




COL-175-4-P-V



COL-175-5-P-V



COL-175-6-P-V




COLUMN 175 HORIZONTAL - P

PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D

MANUFACTURED IN CANADA

A-N-D.COM



VISIT [A-N-D.COM](https://www.a-n-d.com) FOR 3D MODELS INCLUDING REVIT/IES.

DESCRIPTION

The Column conveys order, symmetry and magnificence. With a commutable quality, the luminaire is able to grow and increase its commanding presence in a room to affirm its powerful structure.

TYPE

Pendant

DIMENSIONS (PER 1 UNIT)

- Luminaire: Ø 17.5 x 29.5cm / Ø 7" x 11.5"
- Adjustable drop length: 244cm / 96"
- * CUSTOM LENGTH AVAILABLE
- Weight: 3.6kg / 7.9lbs

CERTIFICATIONS




* APPLICATION: DRY INDOOR LOCATION ONLY

TECHNICAL INFORMATION

- Input Voltage: 110-120V, 220-240V, 110-277V
- Lamping: 12W 24V DC LED (PER UNIT) CRI 90+, 50,000 hours
- Lumens: 711 lumens delivered (PER UNIT)
- Power Supply: Phase dimming, 0-10V, DALI

COLOUR TEMPERATURE OPTIONS




DIM TO WARM



MATERIALS

- Glass
- Aluminum

FINISHES



SERIES	SIZE	UNIT	TYPE		FINISH	CCT	PS	VOLTAGE IN
COL	175	<input type="checkbox"/> 3	P	H	<input type="checkbox"/> CBN (CARBON)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
		<input type="checkbox"/> 4			<input type="checkbox"/> IVO (IVORY)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
		<input type="checkbox"/> 5				<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277*
		<input type="checkbox"/> 6				<input type="checkbox"/> DW (DIM TO WARM)		

*277 ONLY AVAILABLE WITH 010



COLUMN 175 HORIZONTAL - P


PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D


MANUFACTURED IN CANADA

A-N-D.COM


☐ COL-175-3-P-H




☐ COL-175-4-P-H



☐ COL-175-5-P-H



☐ COL-175-6-P-H




COLUMN 300 VERTICAL – P

PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D

MANUFACTURED IN CANADA

A-N-D.COM



VISIT [A-N-D.COM](https://www.a-n-d.com) FOR 3D MODELS INCLUDING REVIT/IES.

DESCRIPTION

The Column conveys order, symmetry and magnificence. With a commutable quality, the luminaire is able to grow and increase its commanding presence in a room to affirm its powerful structure.

TYPE

Pendant

DIMENSIONS (PER 1 UNIT)

- Luminaire: Ø 30 x 29.5cm / Ø 11.75" x 11.5"
- Adjustable drop length: 244cm / 96"
- * CUSTOM LENGTH AVAILABLE
- Weight: 5.3kg / 11.7lbs

CERTIFICATIONS




* APPLICATION: DRY INDOOR LOCATION ONLY


TECHNICAL INFORMATION

- Input Voltage: 110–120V, 220–240V, 110–277V
- Lamping: 12W 24V DC LED (PER UNIT) CRI 90+, 50,000 hours
- Lumens: 711 lumens delivered (PER UNIT)
- Power Supply: Phase dimming, 0–10V, DALI

COLOUR TEMPERATURE OPTIONS



DIM TO WARM



MATERIALS

- Glass
- Aluminum

FINISHES



SERIES	SIZE	UNIT	TYPE	FINISH	CCT	PS	VOLTAGE IN
COL	300	<input type="checkbox"/> 1	P	<input type="checkbox"/> CBN (CARBON)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
		<input type="checkbox"/> 2		<input type="checkbox"/> IVO (IVORY)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
		<input type="checkbox"/> 3			<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277*
		<input type="checkbox"/> 4			<input type="checkbox"/> DW (DIM TO WARM)		
		<input type="checkbox"/> 5					
		<input type="checkbox"/> 6					

*277 ONLY AVAILABLE WITH 010



COLUMN 300 VERTICAL – P


PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D


MANUFACTURED IN CANADA

A-N-D.COM


COL-300-1-P-V




COL-300-2-P-V




COL-300-3-P-V




COL-300-4-P-V



COL-300-5-P-V



COL-300-6-P-V




COLUMN 300 HORIZONTAL – P

PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D

MANUFACTURED IN CANADA

A-N-D.COM



VISIT [A-N-D.COM](https://a-n-d.com) FOR 3D MODELS INCLUDING REVIT/IES.

DESCRIPTION

The Column conveys order, symmetry and magnificence. With a commutable quality, the luminaire is able to grow and increase its commanding presence in a room to affirm its powerful structure.

TYPE

Pendant

DIMENSIONS (PER 1 UNIT)

- Luminaire: Ø 30 x 29.5cm / Ø 11.75" x 11.5"
- Adjustable drop length: 244cm / 96"
- * CUSTOM LENGTH AVAILABLE
- Weight: 5.3kg / 11.7lbs

CERTIFICATIONS




* APPLICATION: DRY INDOOR LOCATION ONLY


TECHNICAL INFORMATION

- Input Voltage: 110–120V, 220–240V, 110–277V
- Lamping: 12W 24V DC LED (PER UNIT) CRI 90+, 50,000 hours
- Lumens: 711 lumens delivered (PER UNIT)
- Power Supply: Phase dimming, 0–10V, DALI

COLOUR TEMPERATURE OPTIONS



DIM TO WARM



MATERIALS

- Glass
- Aluminum

FINISHES



SERIES	SIZE	UNIT	TYPE		FINISH	CCT	PS	VOLTAGE IN
COL	300	<input type="checkbox"/> 3	P	H	<input type="checkbox"/> CBN (CARBON)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
		<input type="checkbox"/> 4			<input type="checkbox"/> IVO (IVORY)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
		<input type="checkbox"/> 5				<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277*
		<input type="checkbox"/> 6				<input type="checkbox"/> DW (DIM TO WARM)		

*277 ONLY AVAILABLE WITH 010



COLUMN 300 HORIZONTAL – P


PENDANT / DESIGNER: LUKAS PEET / 2022

A-N-D


MANUFACTURED IN CANADA

A-N-D.COM


☐ COL-300-3-P-H



☐ COL-300-4-P-H



☐ COL-300-5-P-H



☐ COL-300-6-P-H

