

# KEPLER

*Arihiro Miyake*

The Kepler collection is made of painted extruded aluminium, whose continuous line is obtained through a three-dimensional manufacturing process developed by Nemo. Designed on the basis of the mathematical principle of the Möbius strip. Diffuser in opaque technopolymer.



# DOWNLIGHT 2700K

## LAMPING

Source	linear LED
Total power	83W
Emission	diffused
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	4800lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	adjustable cable length from 2,5m to 0,4m, DALI version on request, TRIAC VERSION on request
Net lamp weight	9 kg

## Codes

KEP LWW 54  
KEP LNN 54  
KEP LOW 54


## Structure

white  
black  
gold

## PACKAGE

Package 01      Dimension: 121x121x52 cm / Gross weight: 19 kg

## Certificazioni



# DOWNLIGHT 3000K

## LAMPING

Source	linear LED
Total power	83W
Emission	diffused
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	4800lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	adjustable cable length from 2,5m to 0,4m, DALI version on request
Net lamp weight	9 kg

## Codes

KEP LWW 52

KEP LNN 52

KEP LOW 52

## Structure

white

black


gold painted

## PACKAGE

Package 01

Dimension: 121x121x52 cm / Gross weight: 19 kg

## Certificazioni



# UPLIGHT 2700K

## LAMPING

Source	linear LED
Total power	83W
Emission	diffused indirect
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	4800lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	adjustable cable length from 2,5m to 0,4m, DALI version on request
Net lamp weight	9 kg

## Codes

KEP LWW 53

KEP LNN 53

KEP LOW 53

## Structure

white

black


gold painted

## PACKAGE

Package 01

Dimension: 121x121x52 cm / Gross weight: 19 kg

## Certificazioni



# UPLIGHT 3000K

## LAMPING

Source	linear LED
Total power	83W
Emission	diffused indirect
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	4800lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	adjustable cable length from 2,5m to 0,4m, DALI version on request
Net lamp weight	9 kg

## Codes

KEP LWW 51  
KEP LNN 51  
KEP LOW 51

## Structure

white  
black  
gold

## PACKAGE

Package 01 Dimension: 121x121x52 cm / Gross weight: 19 kg

## Certificazioni

