

# HALYARD

*Bernhard Osann*

The essential and dynamic design of Halyard is inspired by the nautical world, evoking the lightness and precision of the halyards used to hoist sails. A system of ultra-thin cables, pulleys and counterweights allows smooth and precise light adjustment on two axes, while a swivelling spot offers high performance. Halyard can be installed in several configurations: wall-to-wall, wall-to-ceiling or ceiling-to-ceiling. The power supply, integrated in the counterweight, eliminates the need for additional ceiling connections.



# 2700K

---

## LAMPING

Source	LED SPOT zoom
Total power	12W
Switching	dimnable on board
Tension	220/240V
Color temperature	2700K
Luminous flux	1370lm
IP class	20
Dimensions	188x230x32
Materials	aluminium
Notes	black RAL 9005, According to the height of the room

## Codes

HLV LNN 51

## Structure

black

## Certificazioni



3000K

---

## LAMPING

Source	LED SPOT zoom
Total power	12W
Switching	dimmable on board
Tension	220/240V
Color temperature	3000K
Luminous flux	1370lm
IP class	20
Dimensions	188x230x32
Materials	aluminium
Notes	black RAL 9005, According to the height of the room

## Codes

HLV LNN 52

## Structure

black

## Certificazioni

