

NEMO

Luminaire

Code PNM LWW 13
Name Panama Mini
Measurem.
Code pm112018
Name Panama Mini

| | | | | | | | |
|----------------------------|-----------|-----------------|---------------|-----------------------------|----------------|-----------------------|---------|
| Luminaire Flux | 921.70 lm | Luminaire Power | 13.00 W | Efficacy | 70.90 lm/W | Efficiency | 100.00% |
| Lamps Flux | 921.70 lm | Maximum value | 358.19 cd/klm | Position | C=90.00 G=2.00 | CG Double Symmetrical | |
| Round Luminaire | | Diam. | 194 mm | Height | 22 mm | | |
| Round Luminous Area | | Diam. | 190 mm | Height | 1 mm | | |
| Horizontal Luminous Area | | 0.028353 m2 | | Emitting area on Plane 180° | | 0.000190 m2 | |
| Emitting area on Plane 0° | | 0.000190 m2 | | Emitting area on Plane 270° | | 0.000190 m2 | |
| Emitting area on Plane 90° | | 0.000190 m2 | | Glare area at 76° | | 0.007044 m2 | |
| Coordinate system | | CG | | Symmetry Type | | Double Symmetrical | |
| Date | | 27-01-2000 | | Maximum Gamma Angle | | 180 | |
| Measurement Distance | | 0.00 | | Measurement Flux | | 921.70 lm | |
| Operator | | | | Source Voltage [V] | | 230.00 V | |
| Temperature | | 25.00 °C | | Source current [A] | | | |
| Humidity | | 60.00 % | | Photocell | | | |
| Notes | | | | | | | |

| Line | | Code Led | Luminaire Lamps | | Flux [lm] | Pow. [W] | Q.ty |
|--------|-----------------|----------|-----------------|-----|-----------|----------|------|
| | | | Name | Led | 921.70 | 13.00 | 1 |
| C.I.E. | 50 81 96 98 100 | | D DIN 5040 | | A31 | | |
| F UTE | 0.98 E + 0.02 T | | B NBN | | BZ 4 | | |

