



Photo: GLS-120-BAL-03

Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL	03	
Model	Finish	Chandelier	Temperature


<b>Model</b> GLS-120    Glass 120	<b>Pendant Dimension</b> Ø4.75 Ø120mm	<b>Canopy Dimension</b> Ø8in X H1.25in Ø200mm X H32mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> BAL    Brushed Aluminum BBR    Brushed Brass	<b>Material</b> Aluminum Glass	<b>Weight</b> 5.5lbs 2.5kg	<b>Driver</b> Integral in Canopy	<b>Output Voltage</b> 12V
<b>Canopy Finish</b> MWH    Matte White	<b>Mounting</b> J-Box	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 6W 690lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 03    Chandelier			<b>Lamp Life</b> 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BBR-03

Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR	03	
Model	Finish	Chandelier	Temperature


<b>Model</b> GLS-120    Glass 120	<b>Pendant Dimension</b> Ø4.75 Ø120mm	<b>Canopy Dimension</b> Ø8in X H1.25in Ø200mm X H32mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> BAL    Brushed Aluminum BBR    Brushed Brass	<b>Material</b> Aluminum Glass	<b>Weight</b> 5.5lbs 2.5kg	<b>Driver</b> Integral in Canopy	<b>Output Voltage</b> 12V
<b>Canopy Finish</b> MWH    Matte White	<b>Mounting</b> J-Box	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 6W 690lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 03    Chandelier			<b>Lamp Life</b> 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BAL-05

Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL	05	
Model	Finish	Chandelier	Temperature


<b>Model</b> GLS-120    Glass 120	<b>Pendant Dimension</b> Ø4.75 Ø120mm	<b>Canopy Dimension</b> Ø10in X H1.25in Ø250mm X H32mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> BAL    Brushed Aluminum BBR    Brushed Brass	<b>Material</b> Aluminum Glass	<b>Weight</b> 8.5lbs 3.85kg	<b>Driver</b> Integral in Canopy	<b>Output Voltage</b> 12V
<b>Canopy Finish</b> MWH    Matte White	<b>Mounting</b> J-Box	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 10W 1150lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 05    Chandelier			<b>Lamp Life</b> 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BBR-05

Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR	05	
Model	Finish	Chandelier	Temperature


<b>Model</b> GLS-120    Glass 120	<b>Pendant Dimension</b> Ø4.75 Ø120mm	<b>Canopy Dimension</b> Ø10in X H1.25in Ø250mm X H32mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> BAL    Brushed Aluminum BBR    Brushed Brass	<b>Material</b> Aluminum Glass	<b>Weight</b> 8.5lbs 3.85kg	<b>Driver</b> Integral in Canopy	<b>Output Voltage</b> 12V
<b>Canopy Finish</b> MWH    Matte White	<b>Mounting</b> J-Box	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 10W 1150lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 05    Chandelier			<b>Lamp Life</b> 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BAL-07

Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL		
Model	Finish	Chandelier	Temperature


<b>Model</b> GLS-120    Glass 120	<b>Pendant Dimension</b> Ø4.75 Ø120mm	<b>Canopy Dimension</b> Ø12in X H1.25in Ø300mm X H32mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> BAL    Brushed Aluminum BBR    Brushed Brass	<b>Material</b> Aluminum Glass	<b>Weight</b> 12lbs 5.4kg	<b>Driver</b> Integral in Canopy	<b>Output Voltage</b> 12V
<b>Canopy Finish</b> MWH    Matte White	<b>Mounting</b> J-Box	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 14W 1610lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 07    Chandelier 13    Chandelier 19    Chandelier 31    Chandelier 37    Chandelier			<b>Lamp Life</b> 15,000 hours	Standard cable length 10' additional extra




Photo: GLS-120-BBR-07

Glass 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR		
Model	Finish	Chandelier	Temperature

<b>Model</b> GLS-120    Glass 120	<b>Pendant Dimension</b> Ø4.75 Ø120mm	<b>Canopy Dimension</b> Ø12in X H1.25in Ø300mm X H32mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Input Voltage</b> 120V 50/60Hz
<b>Finish</b> BAL    Brushed Aluminum BBR    Brushed Brass	<b>Material</b> Aluminum Glass	<b>Weight</b> 12lbs 5.4kg	<b>Driver</b> Integral in Canopy	<b>Output Voltage</b> 12V
<b>Canopy Finish</b> MWH    Matte White	<b>Mounting</b> J-Box	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 14W 1610lm	<b>Certification</b> CE Compliant Damp Rated 
<b>Type</b> 07    Chandelier 13    Chandelier 19    Chandelier 31    Chandelier 37    Chandelier			<b>Lamp Life</b> 15,000 hours	Standard cable length 10' additional extra