



Photo: OHM-PBR-01

Ohm. Pendant

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		01	
Model	Finish	Pendant	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Lamp Life 15,000 hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 1.5lbs 0.68kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Chandelier 01 Pendant		Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 2W 230lm	Output Voltage 12V
Standard cable length 10’ additional extra					Certification CE Compliant Damp Rated 



Photo: OHM-PCU-01

Ohm. Pendant

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		01	
Model	Finish	Pendant	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Lamp Life 15,000 hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 1.5lbs 0.68kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Chandelier 01 Pendant		Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 2W 230lm	Output Voltage 12V
Standard cable length 10’ additional extra					Certification CE Compliant Damp Rated 



Photo: OHM-PCR-01

Ohm. Pendant

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		01	
Model	Finish	Pendant	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Lamp Life 15,000 hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 1.5lbs 0.68kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Chandelier 01 Pendant		Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 2W 230lm	Output Voltage 12V
Standard cable length 10’ additional extra					Certification CE Compliant Damp Rated 




Photo: OHM-SWH-01

Ohm. Pendant

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		01	
Model	Finish	Pendant	Temperature

Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Lamp Life 15,000 hours
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 1.5lbs 0.68kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Chandelier 01 Pendant		Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 2W 230lm	Output Voltage 12V
					Certification CE Compliant Damp Rated 

Standard cable length 10’
additional extra



Photo: OHM-SBK-01

Ohm. Pendant

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		01	
Model	Finish	Pendant	Temperature


Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Lamp Life 15,000 hours
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 1.5lbs 0.68kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Chandelier 01	Pendant	Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 2W 230lm	Output Voltage 12V
Standard cable length 10’ additional extra					Certification CE Compliant Damp Rated 



Photo: OHM-BBZ-01

Ohm. Pendant

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		01	
Model	Finish	Pendant	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Lamp Life 15,000 hours
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 1.5lbs 0.68kg	Driver Integral in Canopy	Input Voltage 120V 50/60Hz
Chandelier 01	Pendant	Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 2W 230lm	Output Voltage 12V
					Certification CE Compliant Damp Rated



Standard cable length 10’
additional extra