



Photo: OHM-PBR-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 6W 690lm	Certification CE Compliant Damp Rated 
Chandelier 03 Chandelier				Lamp Life 15,000 hours	Standard cable length 10’ additional extra




Photo: OHM-PCU-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature

Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 7lbs 3.2kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 6W 690lm		Certification CE Compliant Damp Rated 	
Chandelier 03 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 905 301 0306
sales@anony.ca



Photo: OHM-PCR-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 7lbs 3.2kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 6W 690lm		Certification CE Compliant Damp Rated 	
Chandelier 03 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-SWH-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 6W 690lm	Certification CE Compliant Damp Rated 
Chandelier 03 Chandelier				Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-SBK-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 7lbs 3.2kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 6W 690lm		Certification CE Compliant Damp Rated 	
Chandelier 03 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-BBZ-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 7lbs 3.2kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 6W 690lm		Certification CE Compliant Damp Rated 	
Chandelier 03 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-PBR-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 10lbs 4.5kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 10W 1150lm	Certification CE Compliant Damp Rated 
Chandelier 05 Chandelier				Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-PCU-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 10lbs 4.5kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 10W 1150lm		Certification CE Compliant Damp Rated 	
Chandelier 05 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-PCR-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 10lbs 4.5kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 10W 1150lm	Certification CE Compliant Damp Rated 
Chandelier 05 Chandelier				Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-SWH-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 10lbs 4.5kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 10W 1150lm		Certification CE Compliant Damp Rated 	
Chandelier 05 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-SBK-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 10lbs 4.5kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 10W 1150lm		Certification CE Compliant Damp Rated 	
Chandelier 05 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-SBK-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 10lbs 4.5kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 10W 1150lm		Certification CE Compliant Damp Rated 	
Chandelier 05 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-PBR-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 15lbs 6.8kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 14W 1610lm		Certification CE Compliant Damp Rated 	
Chandelier 07 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-PCU-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm		Dimming A. ELV B. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 15lbs 6.8kg		Driver Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 14W 1610lm		Certification CE Compliant Damp Rated 	
Chandelier 07 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-PCR-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 14W 1610lm	Certification CE Compliant Damp Rated 
Chandelier 07 Chandelier				Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-SWH-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 14W 1610lm	Certification CE Compliant Damp Rated 
Chandelier 07 Chandelier				Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-SBK-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature


Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 14W 1610lm	Certification CE Compliant Damp Rated 
Chandelier 07	Chandelier			Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-BBZ-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 14W 1610lm	Certification CE Compliant Damp Rated 
Chandelier 07 Chandelier				Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-PBR-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature


Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 26W 2990lm	Certification CE Compliant Damp Rated 
Chandelier 13	Chandelier			Lamp Life 15,000 hours	Standard cable length 10' additional extra



Photo: OHM-PCU-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm		Dimming A. MLV B. ELV C. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 35lbs 15.8kg		Driver A. Remote B. Integral in Canopy C. Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 26W 2990lm		Certification CE Compliant Damp Rated 	
Chandelier 13 Chandelier								Standard cable length 10’ additional extra	
						Lamp Life 15,000 hours			



Photo: OHM-PCR-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature


Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 26W 2990lm	Certification CE Compliant Damp Rated 
Chandelier 13	Chandelier			Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-SWH-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 26W 2990lm	Certification CE Compliant Damp Rated
Chandelier 13 Chandelier				Lamp Life 15,000 hours	 Standard cable length 10’ additional extra



Photo: OHM-SBK-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm		Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm		Dimming A. MLV B. ELV C. 0-10V Extra		Input Voltage 120V 50/60Hz	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass		Weight 35lbs 15.8kg		Driver A. Remote B. Integral in Canopy C. Integral in Canopy		Output Voltage 12V	
Canopy Finish MWH Matte White		Mounting J-Box		Temperature 2200K 2700K 3000K 3500K		Lamping 90CRI 26W 2990lm		Certification CE Compliant Damp Rated 	
Chandelier 13 Chandelier						Lamp Life 15,000 hours		Standard cable length 10’ additional extra	



Photo: OHM-BBZ-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm’s orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature


Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 26W 2990lm	Certification CE Compliant Damp Rated 
Chandelier 13	Chandelier			Lamp Life 15,000 hours	Standard cable length 10’ additional extra



Photo: OHM-PBR-19

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM			
Model	Finish	Chandelier	Temperature


Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 38W 4370lm	Certification CE Compliant Damp Rated 
Chandelier 13 Chandelier				Lamp Life 15,000 hours	Standard cable length 10' additional extra




Photo: OHM-BBZ-19

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM			
Model	Finish	Chandelier	Temperature

Model OHM Ohm		Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black		Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White		Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 38W 4370lm	Certification CE Compliant Damp Rated
Chandelier 13 Chandelier				Lamp Life 15,000 hours	 Standard cable length 10' additional extra