



Photo: GLS-120-BAL-03R

GLASS 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL	03R
Model	Finish	Chandelier
		Temperature


Model GLS-120 Glass 120	Pendant Dimension Ø4.75in Ø120mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish BAL Brushed Aluminum BBR Brushed Brass	Material Aluminum Steel Glass	Weight 3lbs 1.4kg	Driver Integral in Canopy	Output Voltage 12V
Chandelier 03R Chandelier	Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 6W 690lm	Certification CE Compliant Damp Rated 
Canopy Finish MWH Matte White			Lamp Life 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BBR-03R

GLASS 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR	03R		
Model	Finish	Chandelier	Temperature	Canopy


Model GLS-120 Glass 120	Pendant Dimension Ø4.75in Ø120mm	Canopy Dimension Ø4.5in X H0.25in Ø115mm X H6mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish BAL Brushed Aluminum BBR Brushed Brass	Material Aluminum Steel Glass	Weight 3lbs 1.4kg	Driver Integral in Canopy	Output Voltage 12V
Chandelier 03R Chandelier	Mounting J-Box, Deep min. H2.125in	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 6W 690lm	Certification CE Compliant Damp Rated 
Canopy Finish MWH Matte White SBK Sandtex Black			Lamp Life 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BAL-07R

GLASS 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL	07R
Model	Finish	Chandelier
		Temperature


Model GLS-120 Glass 120	Pendant Dimension Ø4.75in Ø120mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish BAL Brushed Aluminum BBR Brushed Brass	Material Aluminum Steel Glass	Weight 9.5lbs 4.3kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 14W 1610lm	Certification CE Compliant Damp Rated 
Chandelier 07R Chandelier			Lamp Life 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BBR-07R

GLASS 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR	07R
Model	Finish	Chandelier
		Temperature


Model GLS-120 Glass 120	Pendant Dimension Ø4.75in Ø120mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish BAL Brushed Aluminum BBR Brushed Brass	Material Aluminum Steel Glass	Weight 9.5lbs 4.3kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 14W 1610lm	Certification CE Compliant Damp Rated 
Chandelier 07R Chandelier			Lamp Life 15,000 hours	Standard cable length 10' additional extra



Photo: GLS-120-BAL-19R

GLASS 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BAL	19R	
Model	Finish	Chandelier	Temperature


Model GLS-120 Glass 120	Pendant Dimension Ø4.75in Ø120mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish BAL Brushed Aluminum BBR Brushed Brass	Material Aluminum Steel Glass	Weight 25lbs 11.3kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 38W 4370lm	Certification CE Compliant Damp Rated 
Chandelier 19R Chandelier			Lamp Life 15,000 hours	Standard cable length 10' additional extra




Photo: GLS-120-BBR-19R

GLASS 120. Chandelier

Glass 120 is as simply named as it is designed. A 120 millimeter diameter, acid etched, glass globe provides a warm, even glow. The simplicity of this light fixture makes its application versatile. Glass 120 works beautifully as a singular pendant or as a customized clustered arrangement.

Item Code

GLS-120	BBR	19R
Model	Finish	Chandelier
		Temperature

Model GLS-120 Glass 120	Pendant Dimension Ø4.75in Ø120mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish BAL Brushed Aluminum BBR Brushed Brass	Material Aluminum Steel Glass	Weight 25lbs 11.3kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 38W 4370lm	Certification CE Compliant Damp Rated 
Chandelier 19R Chandelier			Lamp Life 15,000 hours	Standard cable length 10' additional extra