


# TARAXACUM S1 COCOON


Designed by Achille & Pier Giacomo Castiglioni, 1960

F7401009



**TARAXACUM S1 COCOON****EN**

F7401009



01. RA3690209 – White ceiling rose assembly  
02. RF32763 – 3,20 mt of PVC/PVC white cable 3x0,75  
03. RF9800200 – Electrical assembly

**TARAXACUM S1 COCOON**  
F7401009

**EN**

**RA3690209**  
WHITE CEILING ROSE ASSEMBLY



Chasen  
p.03



Glo-ball  
S1  
p.03



Glo-ball  
S2  
p.03



Skygarden  
1  
p.03



Skygarden  
Small  
p.03




Smithfield S  
p.03




Smithfield  
S Pro  
p.03




Taraxacum  
S1 Cocoon  
p.03



Taraxacum  
S2 Cocoon  
p.03



Viscontea  
p.03



Zeppelin 1  
p.03

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

TARAXACUM S1 COCOON  
F7401009

EN


RA3690209  
WHITE CEILING ROSE ASSEMBLY

Fig.1

Fix the wall fixture (A) with the appropriate expansion bolts.

**NOTE:** Select and employ screw anchors which are suited to the surface where the appliance is to be installed.

Connect the power cable to the terminal box (not supplied with the spare-part). Mount the ceiling-rose (F).



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

**TARAXACUM S1 COCOON**  
F7401009


**EN**

## RF32763


3,20 MT PVC/PVC WHITE ELECTRICAL CABLE  
3x0,75



Taraxacum  
S1 Cocoon  
p.05



Taraxacum  
S2 Cocoon  
p.05




Viscontea  
p.05

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.  
For the installation of the spare-part, it is necessary to consult a qualified electrician.


**TARAXACUM S1 COCOON**  
F7401009

**EN**


**RF9800200**  
ELECTRICAL ASSEMBLY SET



Taraxacum  
S1 Cocoon  
p.06



Taraxacum  
S2 Cocoon  
p.06



Viscontea  
p.06

**WARNING!** When installing and whenever acting on the appliance, ensure that the power supply has been switched off.  
For the installation of the spare-part, it is necessary to consult a qualified electrician.

**TARAXACUM S1 COCOON**  
F7401009

**EN**

**RF9800200**  
ELECTRICAL ASSEMBLY SET




Fig.1



Fig.2

Separate the ring nut (A) from the lamp holder (B) unscrewing it.

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

TARAXACUM S1 COCOON  
F7401009

EN


**RF9800200**  
ELECTRICAL ASSEMBLY SET

Fig.3

Insert the lamp holder (B) into the ring support (C) present in the Cocoon lamp structure and lock it by tightening the ring nut (C).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

©2021 Flos - All rights reserved - [www.flos.com](http://www.flos.com)  
Flos reserves the right to introduce any changes to its own models, without prior notice.

**TARAXACUM S1 COCOON**  
F7401009

**EN**

**RF9800200**  
ELECTRICAL ASSEMBLY SET




Fig.4

Fix the wall fixture (A) with the appropriate expansion bolts.

**NOTE:** Select and employ screw anchors which are suited to the surface where the appliance is to be installed.

Detach the cable clamp (B), disconnect the feed cable (C) and cut it at the height desired.

**WARNING!** When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

TARAXACUM S1 COCOON  
F7401009

EN


**RF9800200**  
ELECTRICAL ASSEMBLY SET

Fig.5

Connect the power cable to the terminal box (D) and connect the earth to its opposite terminal. Mount the ceiling-rose (F).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

©2021 Flos - All rights reserved - [www.flos.com](http://www.flos.com)  
Flos reserves the right to introduce any changes to its own models, without prior notice.


**TARAXACUM S1 COCOON**  
F7401009**EN****RF9800200**  
ELECTRICAL ASSEMBLY SET

Fig.6

Insert the lamp-bulb (Incandescent halogen light bulb MAX 100W attachment E27 type HSGS).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

©2021 Flos - All rights reserved - [www.flos.com](http://www.flos.com)  
Flos reserves the right to introduce any changes to its own models, without prior notice.