

# FLOS

F1906009 Matte White

## My Lines

Designed by Michael Anastassiades, 2023

46W - 2786lm - 2700K - CRI> 90

My Lines is a suspended lamp with diffused light composed of two vertical bars that can be oriented, attached to a canopy with matte white finish. Each element is made of extruded anodized aluminium with a matte white finish and a diffuser in platinum optical silicone with an integrated LED strip (CRI 90). Usable power cable length 300 cm and adjustable brightness 10-100%. Canopy has to be ordered separately, the electronics integrated in the canopy enable use of dimming systems: PUSH dimming, 1-10V, DALI.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

### Main specifications

EAN	8059607057087
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
LED type	LED Module
Power (W)	46
System flux (lm)	2786

### Physical

Colour	Matte White
Length (mm)	63
Cord length (mm)	3000
Canopy dimension (mm)	70
Canopy width (mm)	150
Net weight (kg)	2.01
Package height (mm)	60
Package width (mm)	1960
Package length (mm)	105
Package volume (m3)	0.01
IP internal	20



### Download

Mounting instructions




### Photometric Files

LDT / IES



### Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Non-replaceable light source



<https://professional.flos.com/en/global/product/my-lines-f1906009/>


F1906009

©2022 Flos - P.IVA 00290820174 - 6/13/2024

[professional.flos.com](https://professional.flos.com) | [info@flos.com](mailto:info@flos.com) 1/3

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order to improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Schematic light drawing



Photometric

Light distribution	Asymmetric
CCT (K)	2700
CRI>	90

Electrical

Insulation class	III
Main voltage (Vac)	48
Forward voltage (V)	48
Driver	Remote excluded
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Accessories & Power Supply



REQUIRED

F1907009

My Line Rose