

Canopy Type C (Altura, Clip Large)


TECHNICAL SHEET

Certification



	1907-90
Mounting	Ceiling
Enviroment	Indoor - Dry Location
Materials	Metal
Voltage	120-227V 60Hz
Lighting Control	Dimmable 0-10V/ Dimmable phase cut (120V only)

1907-90 CEILING



Ø4.4" x H1.9"

Finishes

Ceiling canopy



Matt black varnished metal



Matt gold varnished metal



Matt white varnished metal

NOTE:

All luminaires can only be sold with the single rosettes.
The reverse is also true: rosettes cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette.
Any unauthorized installation will not be deemed compliant.

Canopy Type C

Codes Interpretation

1907 - 90 - 1100 - DXLU

1907

Year Collection

90

Typology Model

1100

Finish1 Finish2

DXLU

Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1907-90-1100-DXLU	canopy type C	matt black		dimmmable 0-10V / dimmmable phase cut (120V only)
1907-90-0600-DXLU	canopy type C	matt gold		dimmmable 0-10V / dimmmable phase cut (120V only)
1907-90-0100-DXLU	canopy type C	matt white		dimmmable 0-10V / dimmmable phase cut (120V only)

Legenda

Lighting Control	D = Dimmable	N = Not dimmable
Cable	X = Not cable	
Source	B = Bulb / LED	L = Integrated LED
Wiring	U = USA with certification	V = USA without certification