

TECHNICAL SHEET

Thin stems in precious metallic finishes create evocative harmonies of light.

Available in three sizes, Storm is a lamp that can live alone but is designed to be used in groups, in public spaces as well as at home.


Certification



	1704-23 LARGE	1704-21 MEDIUM	1704-20 MINI
Mounting	Suspension	Suspension	Suspension
Environment	Indoor - Dry Location	Indoor - Dry Location	Indoor - Dry Location
Materials	Metal	Metal	Metal
Input current	350mA	350mA	350mA
Source	LED 4W - CRI=90	LED 4W - CRI=90	LED 4W - CRI=90
Color Temperature	3000K / 2700K	3000K / 2700K	3000K / 2700K
Lumen	383lm	383lm	383lm
Cable RAL	7013	7013	7013

	1704-90 CANOPY TYPE B	1704-91 CANOPY TYPE B RECESSED	PLATES TYPE B
Mounting	Ceiling	Recessed	Ceiling
Environment	Indoor - Dry location	Indoor - Dry location	Indoor - Dry location
Materials	Metal	Metal	Metal
Voltage	120V 50/60Hz	24Vdc	120/277V 60Hz
Lighting control	On-off / Dimmable 0-10V	Remote driver not included	Dimmable 0-10V
Finishes	Matt white Matt gold Matt black	Matt white	Matt white

Technical Drawing



Finishes

Structure



Canopies



NOTE:
All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes,multiple plates and bar canopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopy.
Any unauthorized installation will not be deemed compliant.

Codes Interpretation

1704 - 20 - 1100 - N2NU

1704

Year Collection

20

Typology Model

1100

Finish1 Finish2

N2NU

Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1704-20-1100-N4NU	mini suspension	matt black		wire 157.5" / 3000K
1704-20-1100-N4WU	mini suspension	matt black		wire 157.5" / 2700K
1704-20-0600-N4NU	mini suspension	matt gold		wire 157.5" / 3000K
1704-20-0600-N4WU	mini suspension	matt gold		wire 157.5" / 2700K
1704-20-2400-N4NU	mini suspension	glossy chrome		wire 157.5" / 3000K
1704-20-2400-N4WU	mini suspension	glossy chrome		wire 157.5" / 2700K
1704-20-1600-N4NU	mini suspension	matt bronze		wire 157.5" / 3000K
1704-20-1600-N4WU	mini suspension	matt bronze		wire 157.5" / 2700K
1704-21-1100-N4NU	medium suspension	matt black		wire 157.5" / 3000K
1704-21-1100-N4WU	medium suspension	matt black		wire 157.5" / 2700K
1704-21-0600-N4NU	medium suspension	matt gold		wire 157.5" / 3000K
1704-21-0600-N4WU	medium suspension	matt gold		wire 157.5" / 2700K
1704-21-2400-N4NU	medium suspension	glossy chrome		wire 157.5" / 3000K
1704-21-2400-N4WU	medium suspension	glossy chrome		wire 157.5" / 2700K
1704-21-1600-N4NU	medium suspension	matt bronze		wire 157.5" / 3000K
1704-21-1600-N4WU	medium suspension	matt bronze		wire 157.5" / 2700K
1704-23-1100-N4NU	large suspension	matt black		wire 157.5" / 3000K
1704-23-1100-N4WU	large suspension	matt black		wire 157.5" / 2700K
1704-23-0600-N4NU	large suspension	matt gold		wire 157.5" / 3000K
1704-23-0600-N4WU	large suspension	matt gold		wire 157.5" / 2700K
1704-23-2400-N4NU	large suspension	glossy chrome		wire 157.5" / 3000K
1704-23-2400-N4WU	large suspension	glossy chrome		wire 157.5" / 2700K
1704-23-1600-N4NU	large suspension	matt bronze		wire 157.5" / 3000K
1704-23-1600-N4WU	large suspension	matt bronze		wire 157.5" / 2700K
1704-23-2400-N4WU	canopy type B	matt gold		on-off
1704-90-0600-DXLU	canopy type B	matt gold		dimnable 0-10V
1704-90-0100-NXLU	canopy type B	matt white		on-off
1704-90-0100-DXLU	canopy type B	matt white		dimnable 0-10V
1704-90-1100-NXLU	canopy type B	matt black		on-off
1704-90-1100-DXLU	canopy type B	matt black		dimnable 0-10V
1704-91-0100-NXLU	canopy type B recessed	matt white		remote driver not included

Legenda

Lighting Control	D = Dimmable	N = Not dimmable	
Cable	X = not suspension lamp	2 = 2m	4 = 4m
Source	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
Wiring	E = Universal	U = USA with certification	V = USA without certification