

TECHNICAL SHEET

Thin stems in precious metallic finishes create evocative harmonies of light.
Available in three sizes, Storm is a lamp that can live alone but is designed to be used in groups, in public spaces as well as at home.


Certification



| | 1905-30 |
|--------------------------|---|
| Mounting | Wall sconces |
| Environment | Indoor - Dry location |
| Materials | Metal |
| Voltage | 120-277V - 50/60Hz |
| Source | LED 20W - CRI=90 |
| Color Temperature | 3000K / 2700K |
| Lumen | 1962lm |
| Lighting control | Dimmable 0-10V/ Dimmable phase cut (120V only) |



Technical Drawing



Finishes

Structure



Matt black



Matt white



Matt titanium

Codes Interpretation

1905 - 30 - 1100 - DXNU

1905

Year Collection

30

Typology Model

1100

Finish1 Finish2

DXNU

Lighting control Cable Source Wiring

| CODES | SIZE | STRUCTURE | SHADE | DETAILS |
|-------------------|--------------|---------------|-------|---|
| 1905-30-1100-DXNU | wall sconces | matt black | | dimnable 0-10V / dimmable phase cut (120V only) |
| 1905-30-1100-DXWU | wall sconces | matt black | | dimnable 0-10V / dimmable phase cut (120V only) |
| 1905-30-0100-DXNU | wall sconces | matt white | | dimnable 0-10V / dimmable phase cut (120V only) |
| 1905-30-0100-DXWU | wall sconces | matt white | | dimnable 0-10V / dimmable phase cut (120V only) |
| 1905-30-1800-DXNU | wall sconces | matt titanium | | dimnable 0-10V / dimmable phase cut (120V only) |
| 1905-30-1800-DXWU | wall sconces | matt titanium | | dimnable 0-10V / dimmable phase cut (120V only) |

Legenda

| | | | |
|------------------|-------------------------|----------------------------|-------------------------------|
| Lighting Control | D = Dimmable | N = Not dimmable | |
| Cable | X = not suspension lamp | 2 = 2m | 4 = 4m |
| Source | B = Bulb | W = Integrated LED 2700K | N = Integrated LED 3000K |
| Wiring | E = Universal | U = USA with certification | V = USA without certification |

