

## TECHNICAL SHEET

A luminous painting, capable of making the walls vibrate with a delicate light such as the sun in spring. Aprile is a freely adjustable wall lamp which explores the deep elegance of light, more intense on one side and softer on the other.


### Certification



	1649-30 FATTY	1649-31 TALL	1649-32 SMALL
<b>Mounting</b>	Wall Sconces	Wall Sconces	Wall Sconces
<b>Environment</b>	Indoor - Dry Location	Indoor - Dry Location	Indoor - Dry Location
<b>Materials</b>	Metal	Metal	Metal
<b>Voltage</b>	120-277V 50/60Hz	120-277V 50/60Hz	120-277V 50/60Hz
<b>Source</b>	LED 13,5W - CRI=90	LED 13,5W - CRI=90	LED 13,5W - CRI=90
<b>Color Temperature</b>	3000K / 2700K	3000K / 2700K	3000K / 2700K
<b>Lumen</b>	377lm (white) 251lm (bronze)	377lm (white) 251lm (bronze)	377lm (white) 251lm (bronze)
<b>Lighting control</b>	Dimmable 0-10V / Dimmable phase cut (120V only)	Dimmable 0-10V / Dimmable phase cut (120V only)	Dimmable 0-10V / Dimmable phase cut (120V only)

Technical Drawing

1649-30	1649-31	1649-32
---------	---------	---------



L9,8" x D3.2" x H15.7"



L6.3" x D3.2" x H23.6"



L5" x D3" x H11"

Finishes

Structure



Brushed bronze



Matt white vernished metal

Codes Interpretation

1649- 31- 1700 - DXNU

1649

Year Collection

31

Typology Model

1700

Finish1 Finish2

DXNU

Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1649-31-1700-DXNU	tall wall sconces	brushed bronze		dimmmable 0-10V / dimmmable phase cut (120V only) / 3000K
1649-31-1700-DXWU	tall wall sconces	brushed bronze		dimmmable 0-10V / dimmmable phase cut (120V only) / 2700K
1649-31-0100-DXNU	tall wall sconces	matt white		dimmmable 0-10V / dimmmable phase cut (120V only) / 3000K
1649-31-0100-DXWU	tall wall sconces	matt white		dimmmable 0-10V / dimmmable phase cut (120V only) / 2700K
1649-30-1700-DXNU	fatty wall sconces	brushed bronze		dimmmable 0-10V / dimmmable phase cut (120V only) / 3000K
1649-30-1700-DXWU	fatty wall sconces	brushed bronze		dimmmable 0-10V / dimmmable phase cut (120V only) / 2700K
1649-30-0100-DXNU	fatty wall sconces	matt white		dimmmable 0-10V / dimmmable phase cut (120V only) / 3000K
1649-30-0100-DXWU	fatty wall sconces	matt white		dimmmable 0-10V / dimmmable phase cut (120V only) / 2700K
1649-32-1700-DXNU	small wall sconces	brushed bronze		dimmmable 0-10V / dimmmable phase cut (120V only) / 3000K
1649-32-1700-DXWU	small wall sconces	brushed bronze		dimmmable 0-10V / dimmmable phase cut (120V only) / 2700K
1649-32-0100-DXNU	small wall sconces	matt white		dimmmable 0-10V / dimmmable phase cut (120V only) / 3000K
1649-32-0100-DXWU	small wall sconces	matt white		dimmmable 0-10V / dimmmable phase cut (120V only) / 2700K

Legenda

Lighting Control	D = Dimmable	N = Not dimmable	
Cable	X = not suspension lamp	2 = 2m	4 = 4m
Source	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
Wiring	E = Universal	U = USA with certification	V = USA without certification

