

## TECHNICAL SHEET


Resuming shapes from art deco, this wall lamp combines a metal sheet with a protruding half-dome. Enoki can be a single design object or combined with other similar elements, assembled with different orientations.

### Certification



	1708-30
Mounting	Wall sconces
Enviroment	Indoor - Dry Location
Materials	Metal
Voltage	120V 60Hz
Source	LED 10W - CRI=90
Color Temperature	3000K
Lumen	469lm
Lighting control	Dimmable phase cut

Technical Drawing



Finishes

Structure



Matt black varnished metal



Matt gold varnished metal



Matt white varnished metal



Matt titanium



Matt bronze

NOTE:

2700K version available after technical verification

Codes Interpretation

1708 - 30 - 0600 - DXNU

1708

Year Collection

30

Typology Model

0600

Finish1 Finish2

DXNU

Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1708-30-0600-DXNU	wall sconces	matt gold		dimnable phase cut
1708-30-1100-DXNU	wall sconces	matt black		dimnable phase cut
1708-30-0100-DXNU	wall sconces	matt white		dimnable phase cut
1708-30-1800-DXNU	wall sconces	matt titanium		dimnable phase cut
1708-30-1600-DXNU	wall sconces	matt bronze		dimnable phase cut

Legenda

Lighting Control	D = Dimmable	N = Not dimmable	
Cable	X = not suspension lamp	2 = 2m	4 = 4m
Source	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
Wiring	E = Universal	U = USA with certification	V = USA without certification

