

TECHNICAL SHEET

1912-23 LARGE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Vetro / Glass

Voltage: 220-240V 50/60Hz

Source: Bulb 1 x 10W LED - E27

Lumen*: oro /gold 474lm
blu / blue 499lm

Cable RAL: 7013



1912-22 MEDIUM

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Vetro / Glass

Voltage: 220-240V 50/60Hz

Source: Bulb 1 x 10W LED - E27

Lumen*: oro /gold 514lm
blu / blue 540lm

Cable RAL: 7013



1912-21 SMALL

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Vetro / Glass

Voltage: 220-240V 50/60Hz

Source: Bulb 1 x 5W - LED E14

Lumen**: oro /gold 229lm
blu / blue 241lm

Cable RAL: 7013



* con lampadina / with bulb 10W LED E27

** con lampadina / with bulb 5W LED E14

lampade installabili su piastre type A o Rosone Barra type Z
lamps installable on plates type A or Bar canopy type Z



Rosoni / Canopies

0811-92 CANOPY TYPE A

Mounting: A soffitto / Ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Lighting Control: On-off / Dimmable DALI



0811-93 CANOPY TYPE A RECESSED

Mounting: Incasso / Recessed

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz




0811-97 CANOPY TYPE A RECESSED LITE

Mounting: Incasso / Recessed

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz



Finiture / Finishes

Vetri specchiati / Mirroring Glass



Oro specchiato
Mirroring gold



Arancione specchiato
Mirroring orange



Blu specchiato
Mirroring blue



Viola specchiato
Mirroring violet

Rosoni / Canopies



Metallo verniciato nero opaco
Matt black varnished metal



Metallo verniciato opaco titanio
Matt titanium varnished metal



Metallo verniciato bianco opaco
Matt white varnished metal

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.

Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.

Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.

The reverse is also true: rosettes, multiple plates and bar canopies cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1912-21-0012-N2BE	small suspension		arancione / orange	cavo / wire 2 mt
1912-21-0012-N4BE	small suspension		arancione / orange	cavo / wire 4 mt
1912-21-0014-N2BE	small suspension		blu / blue	cavo / wire 2 mt
1912-21-0014-N4BE	small suspension		blu / blue	cavo / wire 4 mt
1912-21-0016-N2BE	small suspension		oro / gold	cavo / wire 2 mt
1912-21-0016-N4BE	small suspension		oro / gold	cavo / wire 4 mt
1912-21-0019-N2BE	small suspension		viola / violet	cavo / wire 2 mt
1912-21-0019-N4BE	small suspension		viola / violet	cavo / wire 4 mt
1912-22-0012-N2BE	medium suspension		arancione / orange	cavo / wire 2 mt
1912-22-0012-N4BE	medium suspension		arancione / orange	cavo / wire 4 mt
1912-22-0014-N2BE	medium suspension		blu / blue	cavo / wire 2 mt
1912-22-0014-N4BE	medium suspension		blu / blue	cavo / wire 4 mt
1912-22-0016-N2BE	medium suspension		oro / gold	cavo / wire 2 mt
1912-22-0016-N4BE	medium suspension		oro / gold	cavo / wire 4 mt
1912-22-0019-N2BE	medium suspension		viola / violet	cavo / wire 2 mt
1912-22-0019-N4BE	medium suspension		viola / violet	cavo / wire 4 mt
1912-23-0012-N2BE	large suspension		arancione / orange	cavo / wire 2 mt
1912-23-0012-N4BE	large suspension		arancione / orange	cavo / wire 4 mt
1912-23-0014-N2BE	large suspension		blu / blue	cavo / wire 2 mt
1912-23-0014-N4BE	large suspension		blu / blue	cavo / wire 4 mt
1912-23-0016-N2BE	large suspension		oro / gold	cavo / wire 2 mt
1912-23-0016-N4BE	large suspension		oro / gold	cavo / wire 4 mt
1912-23-0019-N2BE	large suspension		viola / violet	cavo / wire 2 mt
1912-23-0019-N4BE	large suspension		viola / violet	cavo / wire 4 mt

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
0811-92-1800-NXBE	canopy type A	titanio opaco / matt titanium		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-92-0100-NXBE	canopy type A	bianco opaco / matt white		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-92-1100-NXBE	canopy type A	nero opaco / matt black		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-92-1800-PXBE	canopy type A	titanio opaco / matt titanium		dimmable DALI (Include interfaccia DALI compatibile con lampadine dimmerabili / Includes a DALI compatible interface for dimmable bulbs)
0811-92-0100-PXBE	canopy type A	bianco opaco / matt white		dimmable DALI (Include interfaccia DALI compatibile con lampadine dimmerabili / Includes a DALI compatible interface for dimmable bulbs)
0811-92-1100-PXBE	canopy type A	nero opaco / matt black		dimmable DALI (Include interfaccia DALI compatibile con lampadine dimmerabili / Includes a DALI compatible interface for dimmable bulbs)
0811-93-0100-NXBE	canopy type A recessed	bianco opaco / matt white		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-97-0100-NXBE	canopy type A recessed lite	bianco opaco / matt white		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)