

Hang Out Brogliato Traverso 2019



TECHNICAL SHEET

1906-20 SINGLE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 60W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1561 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



1906 -90 LARGE

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF, Legno e Tessuto / MDF, Wood and Fabric




1906-93 LARGE HORIZONTAL

Mounting: Pannello / Panel


Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)




Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031



Grigio RAL 7035
Grey RAL 7035




Azzuro RAL 5024
Light blue RAL 5024




Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric



Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

NOTE:
Verificare quota H max nel disegno illustrativo
Check max H dimension in the illustrative drawing

TECHNICAL SHEET

1906-21 DOUBLE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 60W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1561 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



1906-91 MEDIUM

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-92 SMALL

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-95 LARGE VERTICAL

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF, Legno e Tessuto / MDF, Wood and Fabric



1906-94 SMALL VERTICAL

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-22 NAKED

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal


Voltage: 220-240V 50/60Hz

Source: LED 60W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1864 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



Finiture / Finishes

Struttura / Structure




Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031



Grigio RAL 7035
Grey RAL 7035



Azzuro RAL 5024
Light blue RAL 5024




Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric



Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

NOTE:

Verificare quota H max nel disegno illustrativo

Check max H dimension in the illustrative drawing

Hang Out

Brogliato Traverso 2019



TECHNICAL SHEET

1906-33 LARGE

Mounting: Applique / Wall Lamp

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 65W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1561 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



1906-90 LARGE

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF, Legno e Tessuto / MDF, Wood and Fabric



1906-93 LARGE HORIZONTAL

Mounting: Pannello / Panel


Environment: Indoor - IP20

Materials: MDF e Legno/ MDF and Wood




1906-33 + 1906-93

1906-33 + 1906-90



L80 x H50

L106 xW 9.5 x H2.6




Ø80

L106 xW 9.5 x H2.6

Finiture / Finishes

Struttura / Structure




Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031



Grigio RAL 7035
Grey RAL 7035




Azzuro RAL 5024
Light blue RAL 5024




Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric



Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

Hang Out

Brogliato Traverso 2019



TECHNICAL SHEET

1906-31 SMALL

Mounting: Applique / Wall lamp

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 40W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 937 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI




1906-91 MEDIUM


Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-31 +1906-91



L66 xW 9.5 x H2.6 + Ø50

Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031



Grigio RAL 7035
Grey RAL 7035




Azzuro RAL 5024
Light blue RAL 5024




Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric



Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

Hang Out Brogliato Traverso



CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1906-95-L700	large oval vertical panel		frassino ingrigito / greying ash wood	
1906-95-L600	large oval vertical panel		frassino sbiancato / bleached ash wood	
1906-95-H900	large oval vertical panel		tessuto blu scuro / dark blue fabric	
1906-95-H600	large oval vertical panel		tessuto azzurro / light blue fabric	
1906-95-H500	large oval vertical panel		tessuto tortora / tortora fabric	
1906-95-H300	large oval vertical panel		tessuto grigio / grey fabric	
1906-95-H200	large oval vertical panel		tessuto rosso / red fabric	
1906-95-H000	large oval vertical panel		tessuto giallo / yellow fabric	
1906-95-4100	large oval vertical panel		blu scuro / dark blue	
1906-95-3600	large oval vertical panel		azzurro / light blue	
1906-95-3500	large oval vertical panel		tortora	
1906-95-3300	large oval vertical panel		grigio / grey	
1906-95-3100	large oval vertical panel		giallo / yellow	
1906-95-1300	large oval vertical panel		rosso / red	
1906-94-L700	small oval vertical panel		frassino ingrigito / greying ash wood	
1906-94-L600	small oval vertical panel		frassino sbiancato / bleached ash wood	
1906-94-4100	small oval vertical panel		blu scuro / dark blue	
1906-94-3600	small oval vertical panel		azzurro / light blue	
1906-94-3500	small oval vertical panel		tortora	
1906-94-3300	small oval vertical panel		grigio / grey	
1906-94-3100	small oval vertical panel		giallo / yellow	
1906-94-1300	small oval vertical panel		rosso / red	
1906-93-L700	large oval horizontal panel		frassino ingrigito / greying ash wood	
1906-93-L600	large oval horizontal panel		frassino sbiancato / bleached ash wood	
1906-93-4100	large oval horizontal panel		blu scuro / dark blue	
1906-93-3600	large oval horizontal panel		azzurro / light blue	
1906-93-3500	large oval horizontal panel		tortora	
1906-93-3300	large oval horizontal panel		grigio / grey	
1906-93-3100	large oval horizontal panel		giallo / yellow	
1906-93-1300	large oval horizontal panel		rosso / red	
1906-92-L700	small round panel		frassino ingrigito / greying ash wood	
1906-92-L600	small round panel		frassino sbiancato / bleached ash wood	
1906-92-4100	small round panel		blu scuro / dark blue	
1906-92-3600	small round panel		azzurro / light blue	
1906-92-3500	small round panel		tortora	
1906-92-3300	small round panel		grigio / grey	
1906-92-3100	small round panel		giallo / yellow	
1906-92-1300	small round panel		rosso / red	
1906-91-L700	medium round panel		frassino ingrigito / greying ash wood	

Hang Out

Brogliato Traverso

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1906-91-L600	medium round panel		frassino sbiancato / bleached ash wood	
1906-91-4100	medium round panel		blu scuro / darke blue	
1906-91-3600	medium round panel		azzurro / light blue	
1906-91-3500	medium round panel		tortora	
1906-91-3300	medium round panel		grigio / grey	
1906-91-3100	medium round panel		giallo / yellow	
1906-91-1300	medium round panel		rosso / red	
1906-90-L700	large round panel		frassino ingrigito / greying ash wood	
1906-90-L600	large round panel		frassino sbiancato / bleached ash wood	
1906-90-H900	large round panel		tessuto blu scuro / dark blue fabric	
1906-90-H600	large round panel		tessuto azzurro / light blue fabric	
1906-90-H500	large round panel		tessuto tortora / tortora fabric	
1906-90-H300	large round panel		tessuto grigio / grey fabric	
1906-90-H200	large round panel		tessuto rosso / red fabric	
1906-90-H000	large round panel		tessuto giallo / yellow fabric	
1906-90-4100	large round panel		blu scuro / dark blue	
1906-90-3600	large round panel		azzurro / light blue	
1906-90-3500	large round panel		tortora	
1906-90-3300	large round panel		grigio / grey	
1906-90-3100	large round panel		giallo / yellow	
1906-90-1300	large round panel		rosso / red	
1906-33-1100-PXNE	large wall lamp	nero opaco / matt black		dimmmable DALI 3000K
1906-33-1100-PXWE	large wall lamp	nero opaco / matt black		dimmmable DALI 2700K
1906-33-1100-DXNE	large wall lamp	nero opaco / matt black		dimmmable 0-10V 3000K
1906-33-1100-DXWE	large wall lamp	nero opaco / matt black		dimmmable 0-10V 2700K
1906-33-0100-PXNE	large wall lamp	bianco opaco / matt white		dimmmable DALI 3000K
1906-33-0100-PXWE	large wall lamp	bianco opaco / matt white		dimmmable DALI 2700K
1906-33-0100-DXNE	large wall lamp	bianco opaco / matt white		dimmmable 0-10V 3000K
1906-33-0100-DXWE	large wall lamp	bianco opaco / matt white		dimmmable 0-10V 2700K
1906-31-1100-PXNE	small wall lamp	nero opaco / matt black		dimmmable DALI 3000K
1906-31-1100-PXWE	small wall lamp	nero opaco / matt black		dimmmable DALI 2700K
1906-31-1100-DXNE	small wall lamp	nero opaco / matt black		dimmmable 0-10V 3000K
1906-31-1100-DXWE	small wall lamp	nero opaco / matt black		dimmmable 0-10V 2700K
1906-31-0100-PXNE	small wall lamp	bianco opaco / matt white		dimmmable DALI 3000K
1906-31-0100-PXWE	small wall lamp	bianco opaco / matt white		dimmmable DALI 2700K

Hang Out

Brogliato Traverso

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1906-31-0100-DXNE	small wall lamp	bianco opaco / matt white		dimmmable 0-10V 3000K
1906-31-0100-DXWE	small wall lamp	bianco opaco / matt white		dimmmable 0-10V 2700K
1906-22--11000-PENE	naked suspension	nero opaco / matt black		dimmmable DALI 3000K
1906-22-1100-D3NE	naked suspension	nero opaco / matt black		dimmmable 0-10V 3000K
1906-22-1100-D3WE	naked suspension	nero opaco / matt black		dimmmable 0-10V 2700K
1906-22-0100-P3NE	naked suspension	bianco opaco / matt white		dimmmable DALI 3000K
1906-22-0100-P3WE	naked suspension	bianco opaco / matt white		dimmmable DALI 2700K
1906-22-0100-D3NE	naked suspension	bianco opaco / matt white		dimmmable 0-10V 3000K
1906-22-0100-D3WE	naked suspension	bianco opaco / matt white		dimmmable 0-10V 2700K
1906-21-1100-P3NE	double suspension	nero opaco / matt black		dimmmable DALI 3000K
1906-21-1100-P3WE	double suspension	nero opaco / matt black		dimmmable DALI 2700K
1906-21-1100-D3NE	double suspension	nero opaco / matt black		dimmmable 0-10V 3000K
1906-21-1100-D3WE	double suspension	nero opaco / matt black		dimmmable 0-10V 2700K
1906-21-0100-P3NE	double suspension	bianco opaco / matt white		dimmmable DALI 3000K
1906-21-0100-P3WE	double suspension	bianco opaco / matt white		dimmmable DALI 2700K
1906-21-0100-D3NE	double suspension	bianco opaco / matt white		dimmmable 0-10V 3000K
1906-21-0100-D3WE	double suspension	bianco opaco / matt white		dimmmable 0-10V 2700K
1906-20-1100-P3NE	single suspension	nero opaco / matt black		dimmmable DALI 3000K
1906-20-1100-P3WE	single suspension	nero opaco / matt black		dimmmable DALI 2700K
1906-20-1100-D3NE	single suspension	nero opaco / matt black		dimmmable 0-10V 3000K
1906-20-1100-D3WE	single suspension	nero opaco / matt black		dimmmable 0-10V 2700K
1906-20-0100-P3NE	single suspension	bianco opaco / matt white		dimmmable DALI 3000K
1906-20-0100-P3WE	single suspension	bianco opaco / matt white		dimmmable DALI 2700K
1906-20-0100-D3NE	single suspension	bianco opaco / matt white		dimmmable 0-10V 3000K
1906-20-0100-D3WE	single suspension	bianco opaco / matt white		dimmmable 0-10V 2700K