

## SAFETY INFORMATION

Released Date: 2023-11-06

Please read and understand this entire manual before attempting to assemble, install or operate the product.


### WARNING

- RISK OF ELECTRIC SHOCK - Before beginning installation, turn off electricity at the circuit breaker box or the main fuse box.
- RISK OF FIRE - Use bulbs specified by the markings and/or labels on the fixture.

### CAUTION

- For your safety, read instructions completely before beginning installation.
- If in doubt about electrical installation, consult a licensed electrician.
- Turn off electricity to fixture before replacing the bulb(s).

### TOOLS REQUIRED




## CARE AND MAINTENANCE


- Wipe clean using soft, dry cloth or static duster. Always avoid using harsh chemicals and abrasives to clean fixture as they may damage the finish.

If you need further assistance call Quoizel Customer Care at 1-800-645-3184 (9:00am - 5:00pm EST), or visit us on-line at [www.quoizel.com](http://www.quoizel.com).

## PACKAGE CONTENTS




## MOUNTING HARDWARE




## INSTALLATION

Quoizel recommended two people for this installation.


### 1 Unfold Support Arms




### 2 Install Socket Assembly and Fixture Loop



### 3 Install Glass Shade to Finial



### 4 Install Fixture Chain



**OPTIONAL:** Adjust Chain as desired, using pliers and soft cloth (neither included).


Suggested chain length for Ceiling height:

8 feet ceiling:	use 1 links of chain and 2 quick links
9 feet ceiling:	use 11 links of chain and 2 quick links
10 feet ceiling:	use 21 links of chain and 2 quick links.

\* Ceiling Canopy shape is varies depends on item purchased.


Labels: Ceiling Canopy, Canopy Lock Ring

### 5 Pull Supply Wires



Pull the supply wires with ground wire through the chain alternate links.

### 6 Wiring



White wire from supply

Black (or red) wire from supply

Ground wire from supply


Green ground wire

Ribbed side of wire from fixture identified with the label "N"

Smooth side of wire from fixture identified with the label "L"

Ground wire from fixture identified with the label "G"


### 7 Install Ceiling Canopy



\* Ceiling Canopy shape is varies depends on item purchased.

8



Install Bulbs



Install three correct bulbs referring to fixture markings and/or labels for maximum wattage.


**Recommended Bulb Type (not included):**

BULB BASE TYPE	BULB SHAPE
Candelabra (E12)	TYPE B


9

Install Bottom Assembly to Top Assembly



10

Install Rod-With Nipple to Socket Assmby



Socket Assembly


Rod-With Nipple

Cover

Finial

11

Install Cover to Coupling





Coupling

Cap



Your installation is now complete! Restore electricity and save this sheet for future reference.

**HOW TO REPLACE BULB**



Reverse above steps to reinstall the replacement Glass panels onto fixture.

**HOW TO REPLACE GLASS SHADE**



Reverse above steps to reinstall the replacement Glass panels onto fixture.