




Pastille
Corded Plug-in Sconce

18506 rA




IMPORTANT SAFETY INSTRUCTIONS

This portable luminaire has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not alter the plug.


Input: 8W | 110-120VAC




Calling for backup? Scan above
to contact our team.




www.RBW.com
+1 212 388 0399
support@RBW.com
© 2023, RBW Studio LLC




PAS-1S-D




PAS-1S-F




PAS-1S-F




PAS-1D-D




PAS-1D-F




PAS-1D-F



PAS-1W-D




PAS-1W-F



PAS-1W-F


Corded Plug-in (Back)

What's Included: Part Configurations May Vary



Item	Qty	Part number	Description
1	1	18528-27	Package: Pastille Module. Corded Plug-in (Back). 2700K CCT
2	1	13738	Package: Pastille Glass Droplet
3	1	13823-PC20	Package: Pastille Disc
4	1	18439	Package: Corded Plug-in Hardware Kit

* Adjust Screw depth for tightness as needed




Installation - Module Corded Plug-in (Back)

1. Sink 2X #6 Screws using RBW mounting template so screw heads are approximately 0.1" from mounting surface.
2. Remove template from wall.
3. Place Module keyholes over screw heads.
4. Rotate Module counterclockwise until it drops vertically and is locked in position.



Corded Plug-in (Bottom)

What's Included: Part Configurations May Vary



Item	Qty	Part number	Description
1	1	18529-27	Package: Pastille Portable Module. Cord Only (Bottom). 2700K CCT
2	1	13738	Package: Pastille Glass Droplet
3	1	13823-PC20	Package: Pastille Disc
4	1	18439	Package: Cord Mount Offering Hardware Kit

* Adjust Screw depth for tightness as needed




Installation - Module Corded Plug-in (Bottom)

1. Sink 2X #6 Screws using RBW mounting template so screw heads are approximately 0.1" from mounting surface.
2. Remove template from wall.
3. Place Module keyholes over screw heads.
4. Rotate Module counterclockwise until it drops vertically and is locked in position.




Corded Plug-in (Toggle Switch)

What's Included: Part Configurations May Vary



Item	Qty	Part number	Description
1	1	18530-27	Package: Pastille Module. Corded Plug-in (Toggle Switch). 2700K CCT
2	1	13738	Package: Pastille Glass Droplet
3	1	13823-PC20	Package: Pastille Disc
4	1	18439	Package: Corded Plug-in Hardware Kit


* Adjust Screw depth for tightness as needed



Installation - Module Corded Plug-in (Toggle Switch)


1. Sink 2X #6 Screws using RBW mounting template so screw heads are approximately 0.1" from mounting surface.
2. Remove template from wall.
3. Place Module keyholes over screw heads.
4. Rotate Module counterclockwise until it drops vertically and is locked in position.

Part Configurations May Vary




Installation - Pastille Collar/Disc

1. Place Pastille Sconce Disc OR Pastille Sconce Collar concentrically onto Pastille Portable Module.
2. Thread included Pastille Glass onto Pastille Portable Module to secure parts in place.
3. Plug in fixture to desired 110-120VAC outlet.



Installation - Pastille Wayfind


1. Place included Pastille Mount Plate and Sconce Plate Sign concentrically onto Pastille Portable Module.
2. Thread included Pastille Glass onto Pastille Portable Module to secure parts in place.
3. Plug in fixture to desired 110-120VAC outlet.



Page Intentionally Left Blank

Installation - (Optional) Cord Grip

1. In desired location place Cord Grip Base against mounting surface and sink #6 Fastener through Cord Grip Base.
2. Place AC Power Cord into Cord Grip Base and thread cap clockwise onto Base.
3. Congratulations! End of guide.



RBW Mounting Template