



Cuff Sconce

Sconces

YOUR PRODUCT CODE

CU-WS- - - - -

DESCRIPTION

A captivating collection of refined detail and timeless sophistication, created in collaboration with Little Wing Lee of Studio & Projects.

MATERIALS

Cast solid glass, sand-casted aluminum, sand-casted brass

COLLECTION NOTES

Our unlacquered brass will develop a classic brass patina over its lifespan.

PRODUCT DIMENSIONS

7.7 in W x 6.5 in H x 3.2 in D

PRODUCT WEIGHT

Powder Coated Sconce: 1.9lbs | Natural Aluminum Sconce: 1.9lbs | Brass Sconce: 3.8lbs

PERFORMANCE

Delivered Lumens 657.6 lm (DC) | 441.7 lm (AC)
Power Consumption 7.2W (DC) | 8W (AC)
Luminous Efficacy 92 lm/W (DC) | 54.6 lm/W (AC)
90+ CRI

PATENT FILE NUMBER

Patent Number 2024411587, DM/236889

CERTIFICATION

ADA Compliant
UL Listed
• Suitable for Damp Locations



LED LIFESPAN

50k hours

SPECIFICATION LOGIC

PRIMARY FINISH

Natural Aluminum	AL001
Unlacquered Brass	BR001
Matte White	PC20
Matte Black	PC30
Custom Powder Coated	PCXX

CCT

2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35

DIMMING / CONTROL / INPUT

0.1% Dimming, 0-10V Control, 120V or 277V "Universal Input" (Driver External)	0.1_10V_UNV
1% Dimming, 0-10V Control, 120V or 277V "Universal Input" (Driver External)	1_10V_UNV
1% Dimming, TRIAC / Forward Phase Control, 120V Input (Driver External)	1_TRIAC_120V
10% Dimming, TRIAC / Forward Phase Control, 120V Input	10_TRIAC_120V
Low Voltage (Driver required, driver not included)	LV

DRAWINGS

