




Centro

12498 rC

Flush Mount
AC Input



CAUTION:

Before starting, turn off power
at main circuit panel.

ADVERTENCIA:


Antes de comenzar la instalación,
apague la corriente en el tablero
principal.

ATTENTION:

Coupez l'alimentation avant de
procéder à l'installation.



Calling for backup? Scan above
to contact our team.





www.RBW.com


+1 212 388 1621

support@RBW.com

© RBW Studio LLC, 2013, 2020



Item	Qty	Part number	Description
1	1	12469-PC20-27	UL Centro Flush-mount 18 Assembly Phillips Signify
2	1	12449	Centro Flushmount Hardware Kit




Installation - Flushmount

1. Remove the Diffuser and unscrew 10-24 Wingnuts from threaded studs.
2. Fasten the Mounting Bracket to the desired mounting surface using included fasteners and washers.
3. Let the centro housing hang from the safety cable and connect fixture leads to power feed through center hole in Mounting Bracket.
4. Raise the Centro housing up to the Mounting Bracket allowing threaded studs to pass through.
5. Fasten the Wingnuts onto the threaded studs to secure the parts.



Diffuser will fall if not properly secured.



Installation - Diffuser

6. Raise the Diffuser up to the Centro housing aligning Diffuser Retention Screws with notches in the Diffuser.
7. Rotate Diffuser clockwise approximately 60 degrees or until Diffuser feels secure.
8. Congratulations! End of guide.

Page intentionally left blank