



## ADA OAK 10

Ada Oak features two adjustable shades made of FSC certified white oak with the same aluminum body as the original Ada Sconce. The distinct profile of the shades reflects the logic of their construction: a pronounced ridge rises to house the connecting mounting brackets with the shades then tapering to a thin edge profile to reduce their physical and visual weight. Suitable for exterior use.

**CARE |** Ada Oak's wooden fins are coated in a high performance, non-toxic water repellent sealant. The coating provides a non-yellowing, clear protective finish with excellent UV resistance. In outdoor applications, reapplying the sealant will help to maintain the color, but Ada Oak can be left to gradually fade to gray over time. Clean with soft micro fiber cloth which can be dampened if necessary.

**RAVENHILL STUDIO** 323.977.8532  
 contact@ravenhillstudio.com

### DIMENSIONS/ WEIGHT

5.75" x 4" x 10", 2.5 lbs

### BULB/ TECHNICAL SPECS

Warm-White Integrated LED 9W  
 700 Lumens standard

### COLOR TEMPERATURE

2700K  
 90+ CRI , LED lifespan 50k hours  
 3500K Upon request

### CERTIFICATION

UL, cUL  
 Damp Rated, ADA Compliant  
 Wet Rated upon request  
 CE Listed for indoor use upon request  
 FSC Certified

### FINISH OPTIONS

Oak & Black

### VOLTAGE

120V  
 220V Upon request

### J-BOX SPECS

Connects to Sconce Junction  
 Box with wall cutout under  
 4" DIA

### DIMMABILITY

Lutron Recommended:  
 Maestro pro LED+ (MA-PRO-XX)  
 Sunnata pro LED+ (ST-PRO-N-XX)

RS Tested Dimmers:  
 (use all with Min Load Capacitor LUT-MLC)  
 Maestro (MACL-XXXX)  
 Diva (DVCL-XXXX)

*See Ada Dimmer Recommendations doc for more info*



## ADA OAK 18

Ada Oak features two adjustable shades made of FSC certified white oak with the same aluminum body as the original Ada Sconce. The distinct profile of the shades reflects the logic of their construction: a pronounced ridge rises to house the connecting mounting brackets with the shades then tapering to a thin edge profile to reduce their physical and visual weight. Suitable for exterior use.

**CARE |** Ada Oak's wooden fins are coated in a high performance, non-toxic water repellent sealant. The coating provides a non-yellowing, clear protective finish with excellent UV resistance. In outdoor applications, reapplying the sealant will help to maintain the color, but Ada Oak can be left to gradually fade to gray over time. Clean with soft micro fiber cloth which can be dampened if necessary.

**RAVENHILL STUDIO** 323.977.8532  
 contact@ravenhillstudio.com

### DIMENSIONS/ WEIGHT

5.75" x 4" x 18", 3.5 lbs

### BULB/ TECHNICAL SPECS

Warm-White Integrated LED 18W  
 1400 Lumens standard

### COLOR TEMPERATURE

2700K  
 90+ CRI , LED lifespan 50k hours  
 3500K Upon request

### CERTIFICATION

UL, cUL  
 Damp Rated, ADA Compliant  
 Wet Rated upon request  
 CE Listed for indoor use upon request  
 FSC Certified

### FINISH OPTIONS

Oak & Black

### VOLTAGE

120V  
 220V Upon request

### J-BOX SPECS

Connects to Sconce Junction  
 Box with wall cutout under  
 4" DIA

### DIMMABILITY

Lutron Recommended:  
 Maestro pro LED+ (MA-PRO-XX)  
 Sunnata pro LED+ (ST-PRO-N-XX)

RS Tested Dimmers:  
 (use all with Min Load Capacitor LUT-MLC)  
 Maestro (MACL-XXXX)  
 Diva (DVCL-XXXX)

*See Ada Dimmer Recommendations doc for more info*



## ADA OAK 26

Ada Oak features two adjustable shades made of FSC certified white oak with the same aluminum body as the original Ada Sconce. The distinct profile of the shades reflects the logic of their construction: a pronounced ridge rises to house the connecting mounting brackets with the shades then tapering to a thin edge profile to reduce their physical and visual weight. Suitable for exterior use.

**CARE** | Ada Oak's wooden fins are coated in a high performance, non-toxic water repellent sealant. The coating provides a non-yellowing, clear protective finish with excellent UV resistance. In outdoor applications, reapplying the sealant will help to maintain the color, but Ada Oak can be left to gradually fade to gray over time. Clean with soft micro fiber cloth which can be dampened if necessary.

**RAVENHILL STUDIO** 323.977.8532  
 contact@ravenhillstudio.com

### DIMENSIONS/ WEIGHT

5.75" x 4" x 26", 4.5 lbs

### BULB/ TECHNICAL SPECS

Warm-White Integrated LED 27W  
 2100 Lumens standard

### COLOR TEMPERATURE

2700K  
 90+ CRI , LED lifespan 50k hours  
 3500K Upon request

### CERTIFICATION

UL, cUL  
 Damp Rated, ADA Compliant  
 Wet Rated upon request  
 CE Listed for indoor use upon request  
 FSC Certified

### FINISH OPTIONS

Oak & Black

### VOLTAGE

120V  
 220V Upon request

### J-BOX SPECS

Connects to Sconce Junction  
 Box with wall cutout under  
 4" DIA

### DIMMABILITY

Lutron Recommended:  
 Maestro pro LED+ (MA-PRO-XX)  
 Sunnata pro LED+ (ST-PRO-N-XX)

RS Tested Dimmers:  
 (use all with Min Load Capacitor LUT-MLC)  
 Maestro (MACL-XXXX)  
 Diva (DVCL-XXXX)

*See Ada Dimmer Recommendations doc for more info*