

PEARL 4 PULL CHAIN

Pearl 4 Pull Chain is our exploration of the half-square, half-circle Lamé Curve, a mathematical formula behind mid-century designer Piet Hein's super egg and superellipse. A geometric yet organic matte white glass globe is paired with a spun metal canopy with an integrated pull chain switch. When the brass pull is engaged, the fixture emits a soft, diffused glow.

DIMENSIONS

4.5" x 4.5" x 4.25", 1 lb

BULBS/ TECHNICAL SPECS

G8 LED 4.5W DTW bulb
2700K-1800K, 90+CRI, 350 Lumens
Bulb lifespan 25K hours
*Optional 4.5W, 2700K, 450 Lumens
90+CRI*

CERTIFICATION

UL, cUL, Title 24
JA8 Compliant
Damp Rated

J-BOX SPECS

Connects to J-Box with a cutout
under 4.5" DIA

VOLTAGE





120V

FINISH OPTIONS

Brass Canopy
White Canopy
Aluminum Canopy

DIMMABILITY

CL Dimmers Recommended
Dims to 10%
Recommended Models:
Lutron Diva: DVCL-153P
Lutron Skylark: SCL-153P
Lutron Maestro: MACL-153M



PEARL REEDED PULL CHAIN

Pearl Reeded Pull Chain pairs an art deco inspired matte white glass globe with a spun metal canopy and integrated pull chain switch. The texture of Pearl Reeded is a throwback to the fixture's mid-century roots, but it also serves the function of obscuring the mold lines created during the glass-blowing process. Made of blown glass with grooves that can be presented vertically or horizontally. When the brass pull is engaged, the fixture emits a soft, diffused glow.

DIMENSIONS

4.5" x 4.5" x 4.25", 1 lb

BULBS/ TECHNICAL SPECS

G8 LED 4.5W DTW bulb
2700K-1800K, 90+CRI, 350 Lumens
Bulb lifespan 25K hours
*Optional 4.5W, 2700K, 450 Lumens
90+CRI*

CERTIFICATION

UL, cUL, Title 24
JA8 Compliant
Damp Rated

J-BOX SPECS

Connects to J-Box with a cutout
under 4.5" DIA

VOLTAGE





120V

FINISH OPTIONS

Brass Canopy
White Canopy
Aluminum Canopy

DIMMABILITY

CL Dimmers Recommended
Dims to 10%
Recommended Models:
Lutron Diva: DVCL-153P
Lutron Skylark: SCL-153P
Lutron Maestro: MACL-153M



PEARL 6 ADA PULL CHAIN

Pearl 6 ADA Pull Chain is our exploration of the half-square, half-circle Lamé Curve, a mathematical formula behind mid-century designer Piet Hein's super egg and superellipse. A geometric yet organic matte white glass globe is paired with a spun metal canopy with an integrated pull chain switch. When the brass pull is engaged, the fixture emits a soft, diffused glow.

DIMENSIONS

5.625" x 5.625" x 4.525", 1.5 lbs

BULBS/ TECHNICAL SPECS

G8 LED 7W DTW bulb
2700K-1800K, 90+CRI, 550 Lumens
Bulb lifespan 25K hours
*Optional 7W, 2700K, 700 Lumens
90+CRI*

CERTIFICATION

UL, cUL, Title 24
JA8 Compliant
Damp Rated

J-BOX SPECS

Connects to J-Box with a cutout
under 4.5" DIA

VOLTAGE


120V

FINISH OPTIONS



Brass Canopy
White Canopy
Aluminum Canopy

DIMMABILITY

CL Dimmers Recommended
Dims to 10%
Recommended Models:
Lutron Diva: DVCL-153P
Lutron Skylark: SCL-153P
Lutron Maestro: MACL-153M




5.35"



5.625"

4.5"



6.25"

PEARL 6 PULL CHAIN

Pearl 6 Pull Chain is our exploration of the half-square, half-circle Lamé Curve, a mathematical formula behind mid-century designer Piet Hein's super egg and superellipse. A geometric yet organic matte white glass globe is paired with a spun metal canopy with an integrated pull chain switch. When the brass pull is engaged, the fixture emits a soft, diffused glow.

DIMENSIONS

5.625" x 5.625" x 6.25", 1.5 lbs

BULBS/ TECHNICAL SPECS

G8 LED 7W DTW bulb
2700K-1800K, 90+CRI, 550 Lumens
Bulb lifespan 25K hours
*Optional 7W, 2700K, 700 Lumens
90+CRI*

CERTIFICATION

UL, cUL, Title 24
JA8 Compliant
Damp Rated

J-BOX SPECS

Connects to J-Box with a cutout
under 4.5" DIA

VOLTAGE

120V

FINISH OPTIONS

Brass Canopy
White Canopy
Aluminum Canopy

DIMMABILITY

CL Dimmers Recommended
Dims to 10%
Recommended Models:
Lutron Diva: DVCL-153P
Lutron Skylark: SCL-153P
Lutron Maestro: MACL-153M